


Pride Surveys Questionnaire for Grades 6 thru 12 Standard Report

2015-16 Cabell County Schools

Huntington, WV

February 26, 2016



PRIDE SURVEYS
2140 Newmarket Pkwy. #116
Marietta, GA 30067
☎ 800.279.6361
☎ 770.726.9327
www.pridesurveys.com

Contents

- 1 Introduction** **15**
- 1.1 How To Use Your Data 15
- 1.2 2015-2016 Use vs. 2014-2015 Use 16
 - 1.2.1 Pride National Summary 16
 - 1.2.2 Annual Use 16
 - 1.2.3 Monthly Use 18
- 2 Summary** **20**
- 2.1 Core Measures 20
- 2.2 Annual and Monthly Use 21
- 2.3 Where Students Use 21
- 2.4 When Students Use 21
- 2.5 Risk Factors 22
- 2.6 Protective Factors 22
- 3 Graphics** **23**
- 3.1 Frequency of Use 24
 - 3.1.1 Annual Use 24
 - 3.1.2 Past 30 Day Use 29
- 3.2 Perception of Risk 34
- 3.3 Perception of Parental and Friend Disapproval 41
 - 3.3.1 Perception of Parental Disapproval 41
 - 3.3.2 Perception of Friends' Disapproval 46
- 3.4 Average Age of Onset of Use 51
- 3.5 Student Information 64
- 3.6 Availability 75

3.7	Where & When Do You Use	80
3.7.1	Where Do You Use	80
3.7.2	When Do You Use	85
3.8	Drug Use by Gender	90
3.9	Risk and Protective Factors – Cross Tabulations	104
3.9.1	Attend Church or Synagogue	105
3.9.2	Take Part in Community Activities	106
3.9.3	Make Good Grades	107
3.9.4	Take Part in Sports Teams	108
3.9.5	Take Part in School Activities	109
3.9.6	Get Into Trouble at School	110
3.9.7	Teachers Talk About Dangers of Drugs	111
3.9.8	Parents Talk About Dangers of Drugs	112
3.9.9	Parents Set Clear Rules	113
3.9.10	Parents Punish for Breaking Rules	114
3.10	Safety and Health – Cross Tabulations	115
3.11	Carrying a Gun to School	116
3.12	Involvement in Gangs	117
3.13	Thinking About Suicide	118
3.14	Being Overweight	119
3.15	Threatening/Harmful Behaviors	120
3.16	Trouble with Police	121
3.17	Personal Safety	122
4	Percentage Tables	123
4.1	Personal & Family Information	124
4.2	Student Information	127
4.3	Within The Past Year How Often Have You...	136
4.4	How Easy Is It To Get...	143
4.5	Do You Feel The Following Are Harmful To Your Health?	145
4.6	During the past 30 days:	147
4.7	At What Age Did You First...	149
4.8	How Wrong Do Your Parents Feel It Would Be For You To...	155
4.9	How Wrong Do Your Friends Feel It Would Be For You To...	157
4.10	Where Do You Usually Use...	159
4.11	When Do You Usually Use...	161
4.12	How Do You Feel About Someone Your Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day?	163

4.13 What Effect Do You Most Often Get When You Use	164
4.14 Vehicle Safety	165
4.15 While At School Have You...	167
4.16 In My School, I Feel Safe...	171
4.17 Frequency of Use	174
5 Narrative Report	183
5.1 Introduction	183
5.1.1 The Pride Surveys Questionnaire	183
5.1.2 The Report	184
5.2 Gateway Drugs	184
5.2.1 Tobacco	185
5.2.2 Alcohol	186
5.2.3 Marijuana	189
5.3 Other Illicit Drugs	191
5.4 The Media and Data Presentation	191
5.4.1 Community Awareness	191
5.4.2 The Media	192
5.4.3 Presentations to School/Community Groups	194
5.4.4 Sample Press Release	197
6 Drug-Free Communities Support Program Core Measures	199
6.1 Drug-Free Communities Support Program	199

List of Tables

1.1	Number of Students Surveyed	15
1.2	Annual Use – 2015-2016 vs 2014-2015 – DFC Drugs	16
1.3	Annual Use – 2015-2016 vs 2014-2015 – Illicit Drugs	17
1.4	Annual Use – 2015-2016 vs 2014-2015 – Illicit Drugs (cont.)	17
1.5	Monthly Use – 2015-2016 vs 2014-2015 – DFC Drugs	18
1.6	Monthly Use – 2015-2016 vs 2014-2015 – Illicit Drugs	18
1.7	Monthly Use – 2015-2016 vs 2014-2015 – Illicit Drugs (cont.)	19
2.1	Core Measures for All Students	20
2.2	Percentage of Students Who Report Using Drugs	21
2.3	Where Do Students Report Using	21
2.4	When Do Students Report Using	21
2.5	Percentage Of Students At Risk	22
2.6	Percentage Of Students Protected	22
3.1	Attend Church or Synagogue	105
3.2	Take Part in Community Activities	106
3.3	Make Good Grades	107
3.4	Take Part in Sports Teams	108
3.5	Take Part in School Activities	109
3.6	Get Into Trouble at School	110
3.7	Teachers Talk About Dangers of Drugs	111
3.8	Parents Talk About Dangers of Drugs	112
3.9	Parents Set Clear Rules	113
3.10	Parents Punish for Breaking Rules	114
4.1	Ethnic Origin	124

4.2	Sex	124
4.3	Age	125
4.4	Do you live with...	125
4.5	Do you have a job?	125
4.6	Does your father have a job?	126
4.7	Does your mother have a job?	126
4.8	What is the educational level of your father?	126
4.9	What is the educational level of your mother?	126
4.10	Do you make good grades?	127
4.11	Do you get into trouble at school?	127
4.12	Do you take part in school sports teams?	127
4.13	Do you take part in school activities such as band, clubs, etc.?	128
4.14	Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?	128
4.15	Do you attend church, synagogue, etc.?	128
4.16	Do your parents talk with you about the problems of tobacco, alcohol and drug use?	129
4.17	Do your teachers talk with you about the problems of tobacco, alcohol and drug use?	129
4.18	Have you skipped school without your parents' permission in the past year?	129
4.19	Does your school set clear rules on using drugs at school?	130
4.20	Does your school set clear rules on bullying or threatening other students at school?	130
4.21	Do your parents set clear rules for you?	130
4.22	Do your parents punish you when you break the rules?	131
4.23	Have you been in trouble with the police?	131
4.24	Do you take part in gang activities?	131
4.25	Have you thought about committing suicide?	132
4.26	Do your friends use tobacco (cigarettes, etc.)?	132
4.27	Do your friends use alcohol (beer, liquor, etc.)?	132
4.28	Do your friends use marijuana (pot, hash, etc.)?	133
4.29	Do your friends use prescription drugs not prescribed to them?	133
4.30	Have you had 5 or more glasses of beer, coolers, breezers or liquor within a few hours?	134
4.31	Does your school ask any students to take a drug test?	134
4.32	Do you think that you are overweight?	134
4.33	Has a doctor told you that you are overweight?	134
4.34	Have you bought or sold drugs AT school?	135
4.35	Have you bought or sold drugs when NOT at school?	135
4.36	Have you carried a gun for protection or as a weapon when NOT at school in the past year?	135
4.37	Within the past year how often have you used tobacco?	136

4.38	Within the past year how often have you drunk alcohol?	136
4.39	Within the past year how often have you smoked marijuana?	137
4.40	Within the past year how often have you used cocaine?	137
4.41	Within the past year how often have you used inhalants?	138
4.42	Within the past year how often have you used hallucinogens?	138
4.43	Within the past year how often have you used heroin?	139
4.44	Within the past year how often have you used steroids?	139
4.45	Within the past year how often have you used ecstasy?	140
4.46	Within the past year how often have you used meth?	140
4.47	Within the past year how often have you used prescription drugs?	141
4.48	Within the past year how often have you used over-the-counter drugs?	141
4.49	Within the past year how often have you used any illicit drug?	142
4.50	How easy is it to get tobacco (cigarettes, cigars, dip, etc.)?	143
4.51	How easy is it to get alcohol (beer, coolers, liquor, etc.)?	143
4.52	How easy is it to get marijuana (pot, hash, etc.)?	143
4.53	How easy is it to get prescription drugs not prescribed to you?	144
4.54	How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?	145
4.55	How much do you think people risk harming themselves physically or in other ways if they smoke e-cigarettes, e-cigars or e-hookahs?	145
4.56	How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage (beer, coolers, liquor) once or twice a week?	145
4.57	How much do you think people risk harming themselves physically or in other ways if they take one or two drinks of an alcoholic beverage (beer, coolers, liquor) nearly every day?	146
4.58	How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?	146
4.59	How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?	146
4.60	During the past 30 days did you smoke part or all of a cigarettes?	147
4.61	During the past 30 days did you smoke an e-cigarette, e-cigar, or e-hookah?	147
4.62	During the past 30 days did you drink one or more drinks of an alcoholic beverage?	147
4.63	During the past 30 days have you used marijuana or hashish?	147
4.64	During the past 30 days have you used prescription drugs not prescribed to you?	148
4.65	During the past 30 days have you used over-the-counter drugs (to get high)?	148
4.66	During the past 30 days have you used inhalants (glue, gas, etc.)?	148
4.67	At what age did you first use tobacco?	149
4.68	At what age did you first drink alcohol?	149
4.69	At what age did you first smoke marijuana?	150
4.70	At what age did you first use cocaine?	150

4.71	At what age did you first use inhalants?	151
4.72	At what age did you first use hallucinogens?	151
4.73	At what age did you first use heroin?	152
4.74	At what age did you first use steroids?	152
4.75	At what age did you first use ecstasy?	153
4.76	At what age did you first use meth?	153
4.77	At what age did you first use prescription drugs not prescribed to you?	154
4.78	At what age did you first use over-the-counter drugs to get high?	154
4.79	How wrong do your parents feel it would be for you to smoke tobacco?	155
4.80	How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?	155
4.81	How wrong do your parents feel it would be for you to smoke marijuana?	155
4.82	How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you?	156
4.83	How wrong do your friends feel it would be for you to smoke tobacco?	157
4.84	How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?	157
4.85	How wrong do your friends feel it would be for you to smoke marijuana?	157
4.86	How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?	158
4.87	Where do you usually use tobacco?	159
4.88	Where do you usually drink alcohol?	159
4.89	Where do you usually smoke marijuana?	160
4.90	Where do you usually use prescription drugs not prescribed to you?	160
4.91	When do you usually use tobacco?	161
4.92	When do you usually drink alcohol?	161
4.93	When do you usually smoke marijuana?	162
4.94	When do you usually use prescription drugs not prescribed to you?	162
4.95	How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?	163
4.96	What effect do you most often get when you drink alcohol?	164
4.97	What effect do you most often get when you smoke marijuana?	164
4.98	What effect do you most often get when you use prescription drugs not prescribed to you?	164
4.99	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	165
4.100	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	165
4.101	How often do you wear a seatbelt when driving a car?	166
4.102	How often do you wear a seatbelt when riding in a car driven by someone else?	166
4.103	While at school have you carried a handgun?	167
4.104	While at school have you carried a knife, club or other weapon?	167
4.105	While at school have you threatened a student with a handgun, knife or club?	167
4.106	While at school have you threatened to hurt a student by hitting, slapping or kicking?	168

4.107	While at school have you hurt a student by using a handgun, knife or club?	168
4.108	While at school have you hurt a student by hitting, slapping or kicking?	168
4.109	While at school have you been threatened with a handgun, knife or club by a student?	169
4.110	While at school have you had a student threaten to hit, slap or kick you?	169
4.111	While at school have you been afraid a student may hurt you?	169
4.112	While at school have you been hurt by a student using a handgun, knife or club?	170
4.113	While at school have you been hurt by a student who hit, slapped or kicked you?	170
4.114	In my school, I feel safe in the classroom.	171
4.115	In my school, I feel safe in the cafeteria.	171
4.116	In my school, I feel safe in the halls.	171
4.117	In my school, I feel safe in the bathroom.	172
4.118	In my school, I feel safe in the gym.	172
4.119	In my school, I feel safe on the school bus.	172
4.120	In my school, I feel safe at school events.	173
4.121	In my school, I feel safe on the playground.	173
4.122	In my school, I feel safe in the parking lot.	173
4.123	Past 30 day use cigarettes?	175
4.124	Past 30 day use e-cigarettes?	175
4.125	Past 30 day use alcohol?	175
4.126	Past 30 day use marijuana?	175
4.127	Past 30 day use cocaine?	176
4.128	Past 30 day use inhalants?	176
4.129	Past 30 day use hallucinogens?	176
4.130	Past 30 day use heroin?	176
4.131	Past 30 day use steroids?	177
4.132	Past 30 day use ecstasy?	177
4.133	Past 30 day use meth?	177
4.134	Past 30 day use prescription drugs?	177
4.135	Past 30 day use over-the-counter drugs?	178
4.136	Past 30 day use any illicit drug?	178
4.137	Frequency of use of tobacco?	179
4.138	Frequency of use of alcohol?	179
4.139	Frequency of use of marijuana?	179
4.140	Frequency of use of cocaine?	179
4.141	Frequency of use of inhalants?	180
4.142	Frequency of use of hallucinogens?	180

4.143	Frequency of use of heroin?	180
4.144	Frequency of use of steroids?	180
4.145	Frequency of use of ecstasy?	181
4.146	Frequency of use of meth?	181
4.147	Frequency of use of prescription drugs?	181
4.148	Frequency of use of over-the-counter drugs?	181
4.149	Frequency of use of any illicit drug?	182
5.1	30-Day Use of Tobacco	185
5.2	Reported Location of Tobacco Use For Your Students	186
5.3	Reported Times of Tobacco Use For Your Students	186
5.4	30-Day Use of Alcohol	186
5.5	Pct of Students Reporting <i>Fairly Easy</i> or <i>Very Easy</i> to Get Tobacco and Alcohol	188
6.1	Core Measure for 30 Day Use by Grade	200
6.2	Core Measure of Perception of Risk by Grade	200
6.3	Core Measure of Parental Disapproval by Grade	201
6.4	Core Measure of Friends Disapproval by Grade	201
6.5	Core Measure for 30 Day Use by Sex	201
6.6	Core Measure of Perception of Risk by Sex	202
6.7	Core Measure of Parental Disapproval by Sex	202
6.8	Core Measure of Friends Disapproval by Sex	202

List of Figures

3.1	Annual Use of Tobacco, Alcohol and Illicit Drugs	25
3.2	Annual Use of Marijuana, Cocaine, Inhalants and Hallucinogens	26
3.3	Annual Use of Heroin, Steroids, Ecstasy, and Meth	27
3.4	Annual Use of Prescription Drugs, OTC Drugs and Any Illicit Drugs	28
3.5	Past 30 Day Use of Tobacco, E-Cigarettes, Alcohol and Any Illicit Drug	30
3.6	Past 30 Day Use of Marijuana, Cocaine, Inhalants and Hallucinogens	31
3.7	Past 30 Day Use of Heroin, Steroids, Ecstasy, and Meth	32
3.8	Past 30 Day Use of Prescription Drugs, OTC Drugs and Any Illicit Drugs	33
3.9	Perception of Risk – One or More Packs of Cigarettes/Day	35
3.10	Perception of Risk – Smoke e-cigarettes, e-cigars, e-hookahs	36
3.11	Perception of Risk – Five or More Drinks of Alcohol 1-2/Week	37
3.12	Perception of Risk – 1-2 Drinks of Alcohol Nearly Every Day	38
3.13	Perception of Risk – Smoke Marijuana 1-2/Week	39
3.14	Perception of Risk – Use Prescription Drugs Not Prescribed To You	40
3.15	Perception of Parental Disapproval – Use Tobacco	42
3.16	Perception of Parental Disapproval – Use Alcohol	43
3.17	Perception of Parental Disapproval – Use Marijuana	44
3.18	Perception of Parental Disapproval – Use Prescription Drugs	45
3.19	Perception of Friends' Disapproval – Use Tobacco	47
3.20	Perception of Friends' Disapproval – Use Alcohol	48
3.21	Perception of Friends' Disapproval – Use Marijuana	49
3.22	Perception of Friends' Disapproval – Use Prescription Drugs	50
3.23	Average Age of Onset of Use of Tobacco	52
3.24	Average Age of Onset of Use of Alcohol	53
3.25	Average Age of Onset of Use of Marijuana	54
3.26	Average Age of Onset of Use of Cocaine	55

3.27	Average Age of Onset of Use of Inhalants	56
3.28	Average Age of Onset of Use of Hallucinogens	57
3.29	Average Age of Onset of Use of Heroin	58
3.30	Average Age of Onset of Use of Steroids	59
3.31	Average Age of Onset of Use of Ecstasy	60
3.32	Average Age of Onset of Use of Meth	61
3.33	Average Age of Onset of Use of Prescription Drugs	62
3.34	Average Age of Onset of Use of Over-the-Counter Drugs	63
3.35	Attend Church or Synagogue	65
3.36	Take Part in Community Activities	66
3.37	Make Good Grades	67
3.38	Take Part in Sports Teams	68
3.39	Take Part in School Activities	69
3.40	Get in Trouble at School	70
3.41	Teachers Talk About the Dangers of Drugs	71
3.42	Parents Talk About the Dangers of Drugs	72
3.43	Parents Set Clear Rules	73
3.44	Parents Punish for Breaking Rules	74
3.45	Availability – Tobacco	76
3.46	Availability – Alcohol	77
3.47	Availability – Marijuana	78
3.48	Availability – Prescription Drugs	79
3.49	Where Do You Use Tobacco	81
3.50	Where Do You Use Alcohol	82
3.51	Where Do You Use Marijuana	83
3.52	Where Do You Use Prescription Drugs	84
3.53	When Do You Use Tobacco	86
3.54	When Do You Use Alcohol	87
3.55	When Do You Use Marijuana	88
3.56	When Do You Use Prescription Drugs	89
3.57	Use of Tobacco by Gender	91
3.58	Use of Alcohol by Gender	92
3.59	Use of Marijuana by Gender	93
3.60	Use of Cocaine by Gender	94
3.61	Use of Inhalants by Gender	95
3.62	Use of Hallucinogens by Gender	96

3.63	Use of Heroin by Gender	97
3.64	Use of Steroids by Gender	98
3.65	Use of Ecstasy by Gender	99
3.66	Use of Meth by Gender	100
3.67	Use of Prescription Drugs by Gender	101
3.68	Use of Over-the-Counter Drugs by Gender	102
3.69	Use of Illicit Drugs by Gender	103
3.70	Attend Church or Synagogue	105
3.71	Take Part in Community Activities	106
3.72	Make Good Grades	107
3.73	Take Part in Sports Teams	108
3.74	Take Part in School Activities	109
3.75	Get Into Trouble at School	110
3.76	Teachers Talk About Dangers of Drugs	111
3.77	Parents Talk About Dangers of Drugs	112
3.78	Parents Set Clear Rules	113
3.79	Parents Punish for Breaking Rules	114
3.80	Drug Use of Students Who Reported Carrying a Gun to School	116
3.81	Drug Use of Students Who Reported Involvement in Gangs	117
3.82	Drug Use of Students Who Reported Thinking About Suicide	118
3.83	Drug Use of Students Who Reported Being Overweight	119
3.84	Drug Use of Students Who Reported Threatening/Harmful Behaviors	120
3.85	Drug Use of Students Who Reported Trouble with Police	121
5.86	30-Day Use of Alcohol	187
5.87	Location of Any Alcohol Use	187
5.88	Time of Any Alcohol Use	187
5.89	Past 30 Day Use of Marijuana	189
5.90	Location of Marijuana Use	190
5.91	Time of Any Marijuana Use	190
5.92	Friends' Use of Marijuana	190

Chapter 1

Introduction

This report contains the data collected in your school(s) using the *Pride Surveys Questionnaire*. The report is organized as follows:

1. A Summary that provides you with the fundamental findings in an abbreviated and easy to read fashion.
2. Color Graphs that provide more expansive results from the survey in pictorial fashion.
3. A List of Tables which contains the complete findings of the survey. This section itemizes student responses by each grade level and each item scale (for example: never, seldom, sometimes, often and a lot).
4. A Narrative Report which includes both text and graphic images. This section also includes a sample news release.

Additionally, the report contains a special section entitled *Drug Free Communities Support Program*. This section was developed to provide the data needed to satisfy core measures required by the Drug Free Communities Support Program, administered by the Substance Abuse and Mental Health Services Administration.

1.1 How To Use Your Data

- Meet the accountability requirements of federal and state agencies that your programs be evidence-based.
- Establish a needs assessment to design and secure funding for new programs.
- Conduct periodic performance evaluations for continuing programs.
- Encourage community-wide support for your programs.
- Determine why negative student behaviors occur by examining risk and protective factors.

Table 1.1: Number of Students Surveyed

Grade	Grade Total	Male	Female
6	615	291	281
7	171	86	72
8	578	248	271
10	514	186	250
12	414	179	194
6-8	1364	625	624
9-12	928	365	444
Total	2292	990	1068

1.2 2015-2016 Use vs. 2014-2015 Use

1.2.1 Pride National Summary

The Pride National Summary for a particular school year is a compilation of all the data collected during that school year. The number of states and the number of questionnaires from each state will vary from year to year. While sampling is done to prevent any one state from overwhelming the summary, Pride does not claim that the results are statistically representative of the nation as a whole. However, historically the results from the Pride National Summary have tracked within a few (typically 2 to 3) percentage points of the results from the National Institute on Drug Abuse annual survey which is a nationally representative study.

1.2.2 Annual Use

The following tables compare 2015-2016 annual use figures to the 2014-2015 Pride Summary for all schools. A negative figure in the diff row indicates that 2015-2016 percentages for annual use are below 2014-2015 national percentages and a positive figure in the diff row indicates that 2015-2016 percentages for annual use are above 2014-2015 national percentages. NA means that percentage figures for this particular drug are not available. NS stands for National Summary.

Table 1.2: Annual Use – 2015-2016 vs 2014-2015 – DFC Drugs

DRUG/Location	6th	7th	8th	10th	12th
Tobacco					
2015-2016	2.7	9.5	12.1	21.7	29.8
2014-2015 NS	3.5	6.0	10.3	21.7	34.2
diff	-0.8	3.5	1.8	0.0	-4.4
Alcohol					
2015-2016	3.0	15.5	19.5	42.4	57.2
2014-2015 NS	5.9	11.6	18.2	43.6	58.9
diff	-2.9	3.9	1.3	-1.2	-1.7
Marijuana					
2015-2016	1.2	8.9	11.3	23.1	34.2
2014-2015 NS	2.2	5.1	8.2	24.2	34.4
diff	-1.0	3.8	3.1	-1.1	-0.2
Prescription Drugs					
2015-2016	0.3	3.6	3.0	7.6	8.8
2014-2015 NS	1.3	2.1	2.6	7.6	10.8
diff	-1.0	1.5	0.4	0.0	-2.0

Table 1.3: Annual Use – 2015-2016 vs 2014-2015 – Illicit Drugs

DRUG/Location	6th	7th	8th	10th	12th
Cocaine					
2015-2016	0.3	2.4	1.1	5.4	5.4
2014-2015 NS	0.6	1.2	1.2	3.7	5.8
diff	-0.3	1.2	-0.1	1.7	-0.4
Inhalants					
2015-2016	0.8	4.2	2.7	4.4	2.9
2014-2015 NS	2.6	2.8	2.7	3.9	4.5
diff	-1.8	1.4	0.0	0.5	-1.6
Hallucinogens					
2015-2016	0.3	2.4	1.8	6.5	5.6
2014-2015 NS	0.6	0.7	1.4	4.0	7.0
diff	-0.3	1.7	0.4	2.5	-1.4
Heroin					
2015-2016	0.2	1.8	0.7	4.0	3.2
2014-2015 NS	0.7	0.7	1.0	2.8	4.5
diff	-0.5	1.1	-0.3	1.2	-1.3
Steroids					
2015-2016	1.5	3.0	2.0	4.7	4.0
2014-2015 NS	1.2	1.4	1.6	3.0	4.2
diff	0.3	1.6	0.4	1.7	-0.2

Table 1.4: Annual Use – 2015-2016 vs 2014-2015 – Illicit Drugs (cont.)

DRUG/Location	6th	7th	8th	10th	12th
Ecstasy					
2015-2016	0.3	1.8	0.7	5.7	4.4
2014-2015 NS	0.6	0.7	1.2	3.8	7.2
diff	-0.3	1.1	-0.5	1.9	-2.8
Meth					
2015-2016	0.3	1.8	0.9	3.0	3.0
2014-2015 NS	1.0	1.3	1.3	3.0	4.5
diff	-0.7	0.5	-0.4	0.0	-1.5
Over-the-Counter Drugs					
2015-2016	0.7	3.0	3.2	7.3	4.2
2014-2015 NS	1.4	2.4	2.6	5.6	7.2
diff	-0.7	0.6	0.6	1.7	-3.0
Illicit Drugs					
2015-2016	3.1	13.0	15.4	24.9	35.1
2014-2015 NS	5.4	8.6	11.4	26.6	36.3
diff	-2.3	4.4	4.0	-1.7	-1.2

1.2.3 Monthly Use

The following tables compare 2015-2016 monthly use figures to the 2014-2015 Pride Summary for all schools. A negative figure in the diff row indicates that 2015-2016 percentages for monthly use are below 2014-2015 national percentages and a positive figure in the diff row indicates that 2015-2016 percentages for monthly use are above 2014-2015 national percentages. NA means that percentage figures for this particular drug are not available. NS stands for National Summary.

Table 1.5: Monthly Use – 2015-2016 vs 2014-2015 – DFC Drugs

DRUG/Location	6th	7th	8th	10th	12th
Cigarettes					
2015-2016	1.8	6.5	6.7	13.2	17.6
2014-2015 NS	NA	NA	NA	NA	NA
diff	NA	NA	NA	NA	NA
Alcohol					
2015-2016	2.7	8.3	10.6	23.5	34.8
2014-2015 NS	3.7	6.5	9.4	25.0	39.2
diff	-1.0	1.8	1.2	-1.5	-4.4
Marijuana					
2015-2016	1.2	5.4	7.4	14.9	25.5
2014-2015 NS	2.4	4.0	6.0	16.3	22.7
diff	-1.2	1.4	1.4	-1.4	2.8
Prescription Drugs					
2015-2016	1.8	3.6	3.7	6.1	5.4
2014-2015 NS	1.9	2.6	2.8	6.4	7.8
diff	-0.1	1.0	0.9	-0.3	-2.4

Table 1.6: Monthly Use – 2015-2016 vs 2014-2015 – Illicit Drugs

DRUG/Location	6th	7th	8th	10th	12th
Cocaine					
2015-2016	0.2	2.4	0.5	3.2	2.2
2014-2015 NS	0.4	0.7	0.7	2.5	4.1
diff	-0.2	1.7	-0.2	0.7	-1.9
Inhalants					
2015-2016	1.2	4.2	1.4	3.6	3.0
2014-2015 NS	1.5	1.2	1.1	2.4	3.3
diff	-0.3	3.0	0.3	1.2	-0.3
Hallucinogens					
2015-2016	0.2	0.6	0.5	3.0	3.2
2014-2015 NS	0.4	0.4	0.8	2.6	4.0
diff	-0.2	0.2	-0.3	0.4	-0.8
Heroin					
2015-2016	0.2	1.8	0.5	2.8	2.2
2014-2015 NS	0.5	0.5	0.6	2.2	3.7
diff	-0.3	1.3	-0.1	0.6	-1.5
Steroids					
2015-2016	0.7	1.8	0.2	3.6	2.7
2014-2015 NS	0.7	0.6	0.8	2.2	3.3
diff	0.0	1.2	-0.6	1.4	-0.6

Table 1.7: Monthly Use – 2015-2016 vs 2014-2015 – Illicit Drugs (cont.)

DRUG/Location	6th	7th	8th	10th	12th
Ecstasy					
2015-2016	0.2	0.6	0.2	3.0	2.5
2014-2015 NS	0.4	0.5	0.7	2.4	4.0
diff	-0.2	0.1	-0.5	0.6	-1.5
Meth					
2015-2016	0.2	1.8	0.5	1.8	2.2
2014-2015 NS	0.7	0.6	0.8	2.3	3.6
diff	-0.5	1.2	-0.3	-0.5	-1.4
Over-the-Counter Drugs					
2015-2016	1.3	2.4	1.8	5.0	4.2
2014-2015 NS	0.8	1.2	1.2	3.4	4.5
diff	0.5	1.2	0.6	1.6	-0.3
Illicit Drugs					
2015-2016	2.6	10.0	9.7	18.5	26.6
2014-2015 NS	4.5	6.2	7.8	18.9	25.5
diff	-1.9	3.8	1.9	-0.4	1.1

We recommend that you share the findings of your survey with staff/faculty, administration, boards of education, elected officials, parents, community organizations and the news media.

While the findings are likely to show that certain problems exist within your student population, the overriding message will be that you are taking a fact-based approach to understand and solve these problems

If you have questions about this report or if you wish to have information on other **Pride Surveys** services and products, please contact:

Pride Surveys
 c/o Wendy McGrath
 2140 Newmarket Pkwy SE
 Suite 116
 Marietta, GA 30067
 1-800-279-6361
 1-270-746-9596
wendy.mcgrath@pridesurveys.com

The following information is for **Pride Surveys** internal use only.

- Data Files: us150221-226
- Filter: (grade == 1 or grade == 2 or grade == 3 or grade == 5 or grade == 7)

Chapter 2

Summary

Many federal agencies have identified certain data that are most important in measuring drug use and perceptions among youth. These data are often referred to as the *Core Measures* and consist of:

- **Reported 30-day Use** - the percentage of students who have reported use in the last 30 days,
- **Perception of Risk** - the percentage of students who reported that a drug was *Moderate Risk* or *Great Risk*,
- **Perception of Parental Disapproval of Use** - the percentage of students who reported that their parents would feel if was *Wrong* or *Very Wrong* to use,
- **Perception of Friends' Disapproval of Use** - the percentage of students who reported that their friends would feel if was *Wrong* or *Very Wrong* to use,

for the drug categories of cigarettes, alcohol, marijuana, and prescription drugs for 30 day use and perception of risk and tobacco, alcohol, marijuana, and prescription drugs for parental and friends disapproval. The chapter entitled *Drug Free Communities Support Program Core Measures* will delve into these measures in detail. This section will briefly summarize these data.

2.1 Core Measures

Table 2.1: Core Measures for All Students

Measure	Cig/Tob	Alcohol	Marijuana	Presc. Drugs
Past 30 Day Use	8.8	15.6	10.5	4.0
Perceived Risk	77.5	61.5	53.3	80.9
Parental Disapproval	90.1	88.1	88.1	94.7
Friends Disapproval	69.1	66.7	65.6	83.6

2.2 Annual and Monthly Use

Table 2.2: Percentage of Students Who Report Using Drugs

DRUG	ANNUAL	MONTHLY
Tobacco	14.7	9.2
Cigarettes	–	8.8
E-cigarettes	–	9.6
Alcohol	26.8	15.6
Marijuana	15.2	10.5
Cocaine	2.7	1.5
Inhalants	2.7	2.3
Hallucinogens	3.2	1.5
Heroin	1.8	1.3
Steroids	2.9	1.7
Ecstasy	2.5	1.2
Meth	1.7	1.1
Prescription Drugs	4.4	4.0
Over-the-Counter Drugs	3.6	2.8
Any Illicit Drug	17.6	12.8

2.3 Where Students Use

Table 2.3: Where Do Students Report Using

DRUG	AT HOME	AT SCHOOL	IN A CAR	FRIENDS' HOUSE	OTHER
Tobacco	6.7	1.9	4.4	7.1	5.1
Alcohol	10.2	1.0	1.8	14.5	6.5
Marijuana	5.1	1.5	4.5	8.8	5.9
Presc Drugs	2.5	1.2	0.7	1.6	1.4

2.4 When Students Use

Table 2.4: When Do Students Report Using

DRUG	BEFORE SCHOOL	DURING SCHOOL	AFTER SCHOOL	WEEK NIGHT	WEEK END
Tobacco	3.8	2.1	5.9	5.0	9.8
Alcohol	0.8	0.9	2.7	2.3	19.4
Marijuana	3.1	1.4	4.7	4.5	11.0
Presc Drugs	1.3	1.3	1.3	1.3	2.1

2.5 Risk Factors

Table 2.5: Percentage Of Students At Risk

FACTOR	PCT AT RISK
Guns NOT at School	9.9
Guns AT School	2.2
Gang Activity	3.0
Contemplate Suicide	7.9
Trouble With Police	14.0
Threaten A Student With a Gun, Knife or Club	2.0
Threaten To Hurt A Student By Hitting, Slapping or Kicking	23.6
Hurt A Student With A Gun, Knife or Club	1.3
Hurt A Student By Hitting, Slapping or Kicking	17.3
Been Threatened With a Gun, Knife or Club	7.6
Had A Student Threaten To Hit, Slap or Kick	31.4
Been Afraid A Student May Hurt You	22.5
Been Hurt By A Student With A Gun, Knife or Club	1.7
Been Hurt By A Student By Hitting, Slapping or Kicking	18.2

2.6 Protective Factors

Table 2.6: Percentage Of Students Protected

FACTOR	PCT PROTECTED
Make Good Grades	71.7
Attend Church or Synagogue	46.3
Take Part in Community Activities	26.3
Take Part in School Activities	40.4
Teachers Talk About the Dangers of Drugs	31.1
Parents Talk About the Dangers of Drugs	40.7

Chapter 3

Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.

The *Location* and *Time* of drug use graphs will be helpful in understanding the need for a commitment to drug abuse prevention by parents and the larger community - not just by schools. Student alcohol and other drug use occurs most often outside the school and at times when school is not in session.

The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases.


Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels.

3.1 Frequency of Use

3.1.1 Annual Use


The following section contains graphs depicting the percentage of students who reported any use within the past year of various drugs broken down by grade level.

Annual Use of Tobacco, Alcohol and Illicit Drugs




Source: Pride Surveys

Annual Use of Marijuana, Cocaine, Inhalants and Hallucinogens




Source: Pride Surveys

Annual Use of Heroin, Steroids, Ecstasy, and Meth



Source: Pride Surveys

Annual Use of Prescription Drugs, OTC Drugs and Any Illicit Drugs




Source: Pride Surveys

3.1.2 Past 30 Day Use


The following section contains graphs depicting the percentage of students who reported past 30 day use of various drugs broken down by grade level.

Past 30 Day Use of Tobacco, E-Cigarettes, Alcohol and Any Illicit Drug




Source: Pride Surveys

Past 30 Day Use of Marijuana, Cocaine, Inhalants and Hallucinogens




Source: Pride Surveys

Past 30 Day Use of Heroin, Steroids, Ecstasy, and Meth



Source: Pride Surveys

Past 30 Day Use of Prescription Drugs, OTC Drugs and Any Illicit Drugs




Source: Pride Surveys

3.2 Perception of Risk


The following section contains graphs depicting how students responded to the questions on the risk of using certain drugs broken down by grade level.

Perception of Risk -- One or More Packs of Cigarettes/Day




Source: Pride Surveys

Perception of Risk -- Smoke e-cigarettes, e-cigars, e-hookahs




Source: Pride Surveys

Perception of Risk -- Five or More Drinks of Alcohol 1-2/Week




Source: Pride Surveys

Perception of Risk -- 1-2 Drinks of Alcohol Nearly Every Day




Source: Pride Surveys

Perception of Risk -- Smoke Marijuana 1-2/Week



Source: Pride Surveys

Perception of Risk -- Use Prescription Drugs Not Prescribed To You




Source: Pride Surveys

3.3 Perception of Parental and Friend Disapproval

3.3.1 Perception of Parental Disapproval


The following section contains graphs depicting how students responded to the questions on parental disapproval of using certain drugs broken down by grade level.

Perception of Parental Disapproval -- Use Tobacco




Source: Pride Surveys

Perception of Parental Disapproval -- Use Alcohol




Source: Pride Surveys

Perception of Parental Disapproval -- Use Marijuana



Source: Pride Surveys

Perception of Parental Disapproval -- Use Prescription Drugs




Source: Pride Surveys

3.3.2 Perception of Friends' Disapproval


The following section contains graphs depicting how students responded to the questions on friends' disapproval of using certain drugs broken down by grade level.

Perception of Friends' Disapproval -- Use Tobacco




Source: Pride Surveys

Perception of Friends' Disapproval -- Use Alcohol




Source: Pride Surveys

Perception of Friends' Disapproval -- Use Marijuana



Source: Pride Surveys

Perception of Friends' Disapproval -- Use Prescription Drugs




Source: Pride Surveys

3.4 Average Age of Onset of Use


The following section contains graphs depicting the average age of onset of use (i.e. first use) for only those students who reported using certain drugs broken down by grade level.

Average Age of Onset of Use of Tobacco




Source: Pride Surveys

Average Age of Onset of Use of Alcohol




Source: Pride Surveys

Average Age of Onset of Use of Marijuana




Source: Pride Surveys

Average Age of Onset of Use of Cocaine




Source: Pride Surveys

Average Age of Onset of Use of Inhalants




Source: Pride Surveys

Average Age of Onset of Use of Hallucinogens




Source: Pride Surveys

Average Age of Onset of Use of Heroin




Source: Pride Surveys

Average Age of Onset of Use of Steroids




Source: Pride Surveys

Average Age of Onset of Use of Ecstasy




Source: Pride Surveys

Average Age of Onset of Use of Meth




Source: Pride Surveys

Average Age of Onset of Use of Prescription Drugs



Source: Pride Surveys

Average Age of Onset of Use of Over-the-Counter Drugs




Source: Pride Surveys

3.5 Student Information


The following section contains graphs depicting how students responded to questions that past analysis indicates are correlated with substance use broken down by grade level.

Attend Church or Synagogue




Source: Pride Surveys

Take Part in Community Activities




Source: Pride Surveys

Make Good Grades




Source: Pride Surveys

Take Part in Sports Teams




Source: Pride Surveys

Take Part in School Activities




Source: Pride Surveys

Get in Trouble at School




Source: Pride Surveys

Teachers Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Set Clear Rules



Source: Pride Surveys

Parents Punish for Breaking Rules




Source: Pride Surveys

3.6 Availability


The following section contains graphs depicting how students responded to questions on the availability of certain drugs broken down by grade level.

Availability -- Tobacco




Source: Pride Surveys

Availability -- Alcohol




Source: Pride Surveys

Availability -- Marijuana



Source: Pride Surveys

Availability -- Prescription Drugs




Source: Pride Surveys

3.7 Where & When Do You Use

3.7.1 Where Do You Use


The following section contains graphs depicting how students responded to questions on where they use certain drugs broken down by grade level. Past analysis of national summary data indicates that *At School* is typically the least popular location for drug use.

Where Do You Use Tobacco




Source: Pride Surveys

Where Do You Use Alcohol




Source: Pride Surveys

Where Do You Use Marijuana



Source: Pride Surveys

Where Do You Use Prescription Drugs




Source: Pride Surveys

3.7.2 When Do You Use


The following section contains graphs depicting how students responded to questions on when they use certain drugs broken down by grade level. Past analysis of national summary data indicates that *During School* is typically the least popular time for drug use.

When Do You Use Tobacco




Source: Pride Surveys

When Do You Use Alcohol




Source: Pride Surveys

When Do You Use Marijuana



Source: Pride Surveys

When Do You Use Prescription Drugs




Source: Pride Surveys

3.8 Drug Use by Gender


The following section contains graphs depicting how students responded to questions on use in the past year of certain drugs broken down by grade and sex.

Use of Tobacco by Gender




Source: Pride Surveys

Use of Alcohol by Gender




Source: Pride Surveys

Use of Marijuana by Gender




Source: Pride Surveys

Use of Cocaine by Gender




Source: Pride Surveys

Use of Inhalants by Gender




Source: Pride Surveys

Use of Hallucinogens by Gender




Source: Pride Surveys

Use of Heroin by Gender




Source: Pride Surveys

Use of Steroids by Gender




Source: Pride Surveys

Use of Ecstasy by Gender




Source: Pride Surveys

Use of Meth by Gender




Source: Pride Surveys

Use of Prescription Drugs by Gender




Source: Pride Surveys

Use of Over-the-Counter Drugs by Gender



Source: Pride Surveys

Use of Illicit Drugs by Gender



Source: Pride Surveys

3.9 Risk and Protective Factors – Cross Tabulations

This section looks at the following questions:

- Attend Church or Synagogue
- Take Part in Community Activities
- Make Good Grades
- Take Part in Sports Teams
- Take Part in School Activities
- Get Into Trouble at School
- Teachers Talk About Dangers of Drugs
- Parents Talk About Dangers of Drugs
- Parents Set Clear Rules
- Parents Punish for Breaking Rules

How students responded to each question is presented in table form. Students are then grouped based on how they responded to each question. The percent of illicit drug use for each subgroup is calculated and presented in graphic form. For example, if the bar for *Never* is at 40%, this means 40% of the students who marked *Never* reported using an illicit drug.


3.9.1 Attend Church or Synagogue

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.1: Attend Church or Synagogue

RESPONSE	PCT
Never	21.1
Seldom	11.9
Sometimes	20.7
Often	15.5
A Lot	30.8

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.2 Take Part in Community Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.2: Take Part in Community Activities

RESPONSE	PCT
Never	43.5
Seldom	14.0
Sometimes	16.2
Often	10.4
A Lot	15.9

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.3 Make Good Grades

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.3: Make Good Grades

RESPONSE	PCT
Never	1.4
Seldom	3.7
Sometimes	23.1
Often	33.9
A Lot	37.8

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.4 Take Part in Sports Teams

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.4: Take Part in Sports Teams

RESPONSE	PCT
Never	42.5
Seldom	10.5
Sometimes	13.5
Often	11.3
A Lot	22.1

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.5 Take Part in School Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.5: Take Part in School Activities

RESPONSE	PCT
Never	28.9
Seldom	12.4
Sometimes	18.4
Often	14.7
A Lot	25.7

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.6 Get Into Trouble at School

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.6: Get Into Trouble at School

RESPONSE	PCT
Never	48.3
Seldom	31.4
Sometimes	14.6
Often	3.3
A Lot	2.5

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.7 Teachers Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.7: Teachers Talk About Dangers of Drugs

RESPONSE	PCT
Never	15.3
Seldom	21.9
Sometimes	31.8
Often	18.2
A Lot	12.9

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.8 Parents Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.8: Parents Talk About Dangers of Drugs

RESPONSE	PCT
Never	16.1
Seldom	15.1
Sometimes	28.0
Often	21.2
A Lot	19.6

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.9 Parents Set Clear Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.9: Parents Set Clear Rules

RESPONSE	PCT
Never	2.9
Seldom	3.9
Sometimes	12.3
Often	23.2
A Lot	57.7

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.10 Parents Punish for Breaking Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.10: Parents Punish for Breaking Rules

RESPONSE	PCT
Never	5.0
Seldom	7.9
Sometimes	23.9
Often	30.8
A Lot	32.3

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys

3.10 Safety and Health – Cross Tabulations

The following graphs and tables summarize some of the *Student Information* questions in regard to drug use. These data are calculated by examining specific subsets of your population. For example, a percentage is calculated for students who report carrying a gun and their liquor use. This percentage is calculated as follows:

$$\frac{\text{Number of those reporting carrying a gun to school and claiming to use liquor}}{\text{Number of those reporting carrying a gun and validly responding to the question *How Often Do You Use Liquor*}}$$

The *Ratio* describes the relationship between the groups examined on each graph. For example, in looking at Guns vs. No Guns if the cocaine ratio were 5.3, this would mean the percentage of students who report cocaine use was 5.3 times higher for students who report bringing a gun to school compared to those who don't.

3.11 Carrying a Gun to School

Total number of students surveyed = 2292

Total number who responded to this question = 2210

48 student(s) reported carrying a gun to school. (2.2% of total responding)

Of the 48 student(s) who reported carrying a gun to school,

30 report(s) using alcohol (63.8%),


27 report(s) using marijuana (57.4%),

18 report(s) using cocaine (38.3%),

15 report(s) using Meth (32.6%).

NOTE: Results based on students who reported one or more instances of carrying a gun to school

Drug Use of Students Who Reported Carrying a Gun to School vs. Students Who Did Not



Source: Pride Surveys

Drug	Gun	No Gun	Ratio
Alcohol	63.8%	25.7%	2.5
Marijuana	57.4%	14.0%	4.1
Cocaine	38.3%	1.7%	22.5
Meth	32.6%	0.8%	40.8
N of Students	48	2162	

3.12 Involvement in Gangs

Total number of students surveyed = 2292

Total number who responded to this question = 2240

175 student(s) reported involvement in gangs. (7.8% of total responding)

Of the 175 student(s) who reported involvement in gangs,

95 report(s) using alcohol (55.9%),


81 report(s) using marijuana (47.6%),

38 report(s) using cocaine (22.2%),

28 report(s) using Meth (16.7%).

NOTE: Results based on students who reported any involvement with gangs

Drug Use of Students Who Reported Involvement in Gangs vs. Students Who Did Not



Source: Pride Surveys

Drug	Gang	No Gang	Ratio
Alcohol	55.9%	24.3%	2.3
Marijuana	47.6%	12.6%	3.8
Cocaine	22.2%	1.1%	20.2
Meth	16.7%	0.4%	41.7
N of Students	175	2065	

3.13 Thinking About Suicide

Total number of students surveyed = 2292

Total number who responded to this question = 2251

178 student(s) reported thinking about suicide. (7.9% of total responding)

Of the 178 student(s) who reported thinking about suicide,

102 report(s) using alcohol (58.6%),


70 report(s) using marijuana (39.8%),

20 report(s) using cocaine (11.4%),

16 report(s) using Meth (9.1%).

NOTE: Results based on students who reported thinking Often or A Lot about committing suicide

Drug Use of Students Who Reported Thinking About Suicide vs. Students Who Did Not



Source: Pride Surveys

Drug	Suicide	No Suicide	Ratio
Alcohol	58.6%	24.2%	2.4
Marijuana	39.8%	13.2%	3.0
Cocaine	11.4%	2.0%	5.7
Meth	9.1%	1.0%	9.1
N of Students	178	2073	

3.14 Being Overweight

Total number of students surveyed = 2292

Total number who responded to this question = 2205

662 student(s) reported being overweight. (30.0% of total responding)

Of the 662 student(s) who reported being overweight,


231 report(s) using alcohol (35.6%),

139 report(s) using marijuana (21.3%),

38 report(s) using cocaine (5.8%),

23 report(s) using Meth (3.5%).

Drug Use of Students Who Reported Being Overweight vs. Students Who Did Not



Source: Pride Surveys

Drug	Overweight	No Overweight	Ratio
Alcohol	35.6%	23.8%	1.5
Marijuana	21.3%	12.8%	1.7
Cocaine	5.8%	1.4%	4.1
Meth	3.5%	0.8%	4.4
N of Students	662	1543	

3.15 Threatening/Harmful Behaviors

Total number of students surveyed = 2292

Total number who responded to this question = 2218

525 student(s) reported threatening/harmful behaviors. (23.7% of total responding)

Of the 525 student(s) who reported threatening/harmful behaviors,

219 report(s) using alcohol (42.8%),


155 report(s) using marijuana (30.2%),

30 report(s) using cocaine (5.8%),

21 report(s) using Meth (4.1%).

NOTE: Results based on students who reported either threatening with a gun, knife or club or threatening to hit, slap or kick

Drug Use of Students Who Reported Threatening/Harmful Behaviors vs. Students Who Did Not



Source: Pride Surveys

Drug	Threat	No Threat	Ratio
Alcohol	42.8%	21.6%	2.0
Marijuana	30.2%	10.3%	2.9
Cocaine	5.8%	1.5%	3.9
Meth	4.1%	0.7%	5.9
N of Students	525	1693	

3.16 Trouble with Police

Total number of students surveyed = 2292

Total number who responded to this question = 2257

317 student(s) reported trouble with police. (14.0% of total responding)

Of the 317 student(s) who reported trouble with police,

180 report(s) using alcohol (58.4%),


144 report(s) using marijuana (47.2%),

40 report(s) using cocaine (13.1%),

27 report(s) using Meth (8.9%).

NOTE: Results based on students who reported any trouble with police

Drug Use of Students Who Reported Trouble with Police vs. Students Who Did Not



Source: Pride Surveys

Drug	Police	No Police	Ratio
Alcohol	58.4%	21.7%	2.7
Marijuana	47.2%	10.1%	4.7
Cocaine	13.1%	1.1%	11.9
Meth	8.9%	0.5%	17.8
N of Students	317	1940	

3.17 Personal Safety

Total number of students surveyed = 2292

491 students report being afraid another student will hurt them at school.
(22.5% of total responding)

Of these 491 students, 24 report carrying a gun to school (4.9%).

402 students report getting hurt at school. (18.3% of total responding)

Of these 402 students, 26 report carrying a gun to school (6.5%).

Chapter 4

Percentage Tables

This chapter contains your school survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, grades 6 through 8 combined, grades 9 through 12 combined, and all grades combined. The *N of Valid* column contains the number of students who responded to the question and the *N of Missing* column contains the number of students who did not respond to the question. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

4.1 Personal & Family Information

Table 4.1: Ethnic Origin








RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
White	80.6	78.3	81.0	86.1	86.5	80.5	86.3	82.8	
African American	6.1	6.6	6.6	5.8	5.5	6.4	5.7	6.1	
Hispanic/Latino	1.0	1.8	0.5	1.0	0.5	0.9	0.8	0.9	
Asian/Pacific Islander	0.8	0.6	1.4	2.5	1.0	1.1	1.8	1.4	
Native American	1.3	2.4	1.1	0.4	0.8	1.4	0.6	1.0	
Mixed Origin	8.6	7.2	8.3	3.3	3.3	8.3	3.3	6.3	
Other	1.5	3.0	1.1	0.8	2.5	1.5	1.6	1.5	
N of Valid	602	166	563	482	399	1331	881	2212	
N of Miss	13	5	15	32	15	33	47	80	

Table 4.2: Sex



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Male	50.9	54.4	47.8	42.7	48.0	50.0	45.1	48.1	
Female	49.1	45.6	52.2	57.3	52.0	50.0	54.9	51.9	
N of Valid	572	158	519	436	373	1249	809	2058	
N of Miss	43	13	59	78	41	115	119	234	

Table 4.3: Age

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
10 or under	0.3	0.6	0.0	0.0	0.7	0.2	0.3	0.3
11	44.8	0.0	0.0	0.0	0.2	20.3	0.1	12.2
12	50.5	42.0	0.0	0.0	0.0	28.1	0.0	16.8
13	4.2	49.7	43.1	0.0	0.0	26.4	0.0	15.8
14	0.2	7.1	51.3	0.2	0.0	22.7	0.1	13.6
15	0.0	0.0	5.0	42.0	0.0	2.1	22.9	10.5
16	0.0	0.0	0.5	53.0	0.2	0.2	29.1	11.8
17	0.0	0.0	0.0	4.6	47.3	0.0	24.0	9.6
18	0.0	0.0	0.0	0.2	47.1	0.0	21.5	8.6
19+	0.0	0.6	0.0	0.0	4.3	0.1	2.0	0.8
N of Valid	614	169	575	498	414	1358	912	2270
N of Miss	1	2	3	16	0	6	16	22

Table 4.4: Do you live with...

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Both Parents	58.0	47.6	51.1	53.8	51.2	53.8	52.6	53.3
Mother Only	13.2	16.5	17.7	16.8	19.4	15.5	18.0	16.5
Father Only	2.7	5.5	3.9	4.1	3.2	3.5	3.6	3.6
Mother & Stepfather	13.9	16.5	14.0	12.6	12.1	14.3	12.4	13.5
Father & Stepmother	2.5	5.5	3.2	3.4	3.9	3.2	3.6	3.4
Other	9.7	8.5	10.2	9.3	10.2	9.8	9.7	9.7
N of Valid	597	164	571	493	412	1332	905	2237
N of Miss	18	7	7	21	2	32	23	55

Table 4.5: Do you have a job?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes, Full-time	1.0	0.6	0.0	0.9	2.6	0.5	1.6	1.0
Yes, Part-time	4.5	7.6	5.0	11.6	43.8	5.1	26.1	13.5
No	94.4	91.8	95.0	87.6	53.6	94.4	72.3	85.5
N of Valid	574	158	543	467	384	1275	851	2126
N of Miss	41	13	35	47	30	89	77	166

Table 4.6: Does your father have a job?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes, Full-time	70.8	65.1	74.8	81.0	81.0	71.8	81.0	75.5
Yes, Part-time	15.6	15.1	10.7	5.0	4.8	13.4	4.9	10.0
No	13.6	19.9	14.5	14.1	14.3	14.8	14.2	14.5
N of Valid	558	146	523	462	378	1227	840	2067
N of Miss	57	25	55	52	36	137	88	225

Table 4.7: Does your mother have a job?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes, Full-time	57.8	63.9	57.4	67.5	64.9	58.4	66.3	61.6
Yes, Part-time	19.9	11.4	16.0	11.5	10.5	17.2	11.0	14.7
No	22.3	24.7	26.7	21.0	24.6	24.5	22.7	23.7
N of Valid	569	158	544	462	390	1271	852	2123
N of Miss	46	13	34	52	24	93	76	169

Table 4.8: What is the educational level of your father?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Some High School	8.6	16.4	8.7	10.6	12.5	9.6	11.5	10.4
High School Graduate	26.1	23.8	29.8	30.7	32.0	27.4	31.3	29.1
Some College	15.2	18.0	16.1	19.6	20.1	15.9	19.8	17.5
College Graduate	50.0	41.8	45.4	39.1	35.4	47.1	37.4	43.0
N of Valid	486	122	460	414	359	1068	773	1841
N of Miss	129	49	118	100	55	296	155	451

Table 4.9: What is the educational level of your mother?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Some High School	6.7	12.3	6.9	6.8	9.1	7.5	7.9	7.6
High School Graduate	20.4	16.7	19.3	20.8	21.6	19.4	21.2	20.1
Some College	15.6	18.1	16.4	20.8	21.6	16.3	21.2	18.3
College Graduate	57.3	52.9	57.4	51.7	47.7	56.8	49.8	53.9
N of Valid	506	138	493	424	375	1137	799	1936
N of Miss	109	33	85	90	39	227	129	356

4.2 Student Information

Table 4.10: Do you make good grades?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	1.0	2.4	0.9	1.9	1.7	1.1	1.8	1.4
Seldom	2.1	7.1	4.2	4.5	3.2	3.6	3.9	3.7
Sometimes	22.5	33.1	24.7	21.8	19.4	24.8	20.8	23.1
Often	34.4	28.4	37.0	34.9	29.9	34.8	32.6	33.9
A Lot	40.0	29.0	33.2	36.8	45.9	35.7	40.9	37.8
N of Valid	608	169	575	513	412	1352	925	2277
N of Miss	7	2	3	1	2	12	3	15

Table 4.11: Do you get into trouble at school?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	43.4	31.2	40.5	56.9	62.8	40.6	59.5	48.3
Seldom	33.1	33.5	33.8	29.4	27.0	33.5	28.3	31.4
Sometimes	17.9	20.6	18.7	10.2	6.8	18.6	8.7	14.6
Often	3.6	6.5	4.2	1.8	2.2	4.2	2.0	3.3
A Lot	2.0	8.2	2.8	1.8	1.2	3.1	1.5	2.5
N of Valid	604	170	571	510	411	1345	921	2266
N of Miss	11	1	7	4	3	19	7	26

Table 4.12: Do you take part in school sports teams?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	38.3	51.5	42.8	40.7	46.9	41.8	43.5	42.5
Seldom	10.5	8.6	9.9	11.6	10.9	10.0	11.3	10.5
Sometimes	17.2	13.5	14.1	12.0	9.2	15.4	10.7	13.5
Often	12.0	10.4	12.1	9.4	12.2	11.8	10.6	11.3
A Lot	22.1	16.0	21.1	26.3	20.8	20.9	23.9	22.1
N of Valid	583	163	554	501	403	1300	904	2204
N of Miss	32	8	24	13	11	64	24	88

Table 4.13: Do you take part in school activities such as band, clubs, etc.?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	18.9	33.3	32.9	29.9	34.7	26.7	32.1	28.9	
Seldom	9.3	11.3	12.3	17.8	10.9	10.8	14.7	12.4	
Sometimes	16.1	15.5	18.4	19.0	22.1	17.0	20.4	18.4	
Often	19.6	13.7	15.2	10.4	12.6	17.0	11.4	14.7	
A Lot	36.2	26.2	21.2	22.9	19.7	28.5	21.5	25.7	
N of Valid	603	168	571	511	412	1342	923	2265	
N of Miss	12	3	7	3	2	22	5	27	

Table 4.14: Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	36.1	45.8	49.7	43.5	44.7	43.1	44.0	43.5	
Seldom	12.1	15.1	14.3	15.3	14.3	13.4	14.9	14.0	
Sometimes	12.0	19.9	14.6	17.5	21.5	14.1	19.2	16.2	
Often	14.3	7.2	10.2	9.2	7.7	11.7	8.5	10.4	
A Lot	25.5	12.0	11.2	14.5	11.9	17.7	13.3	15.9	
N of Valid	593	166	561	510	405	1320	915	2235	
N of Miss	22	5	17	4	9	44	13	57	

Table 4.15: Do you attend church, synagogue, etc.?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	13.4	12.4	17.9	28.5	31.5	15.2	29.8	21.1	
Seldom	7.6	13.6	10.0	13.9	17.4	9.4	15.5	11.9	
Sometimes	19.8	17.8	22.4	22.6	18.9	20.6	20.9	20.7	
Often	15.9	21.3	19.3	11.7	11.7	18.0	11.7	15.5	
A Lot	43.3	34.9	30.4	23.2	20.6	36.8	22.0	30.8	
N of Valid	591	169	559	495	403	1319	898	2217	
N of Miss	24	2	19	19	11	45	30	75	

Table 4.16: Do your parents talk with you about the problems of tobacco, alcohol and drug use?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	11.8	17.8	10.7	18.9	25.9	12.1	22.0	16.1	
Seldom	8.3	13.6	17.4	19.9	16.6	12.8	18.4	15.1	
Sometimes	25.7	31.4	31.2	28.0	25.9	28.7	27.0	28.0	
Often	25.5	16.6	20.8	18.3	20.7	22.4	19.4	21.2	
A Lot	28.8	20.7	19.9	14.8	11.0	24.0	13.1	19.6	
N of Valid	604	169	568	507	410	1341	917	2258	
N of Miss	11	2	10	7	4	23	11	34	

Table 4.17: Do your teachers talk with you about the problems of tobacco, alcohol and drug use?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	9.7	16.2	7.4	22.3	25.4	9.5	23.7	15.3	
Seldom	14.9	24.6	21.2	25.6	27.1	18.8	26.3	21.9	
Sometimes	29.4	30.5	32.4	33.9	32.2	30.8	33.2	31.8	
Often	24.9	16.2	25.3	10.3	9.3	24.0	9.8	18.2	
A Lot	21.1	12.6	13.6	7.9	6.1	16.8	7.1	12.9	
N of Valid	598	167	565	507	410	1330	917	2247	
N of Miss	17	4	13	7	4	34	11	45	

Table 4.18: Have you skipped school without your parents' permission in the past year?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	95.7	89.4	90.5	79.6	67.8	92.7	74.3	85.3	
Seldom	2.1	4.1	4.2	7.5	11.2	3.3	9.2	5.6	
Sometimes	1.3	4.1	2.8	6.7	12.0	2.3	9.1	5.0	
Often	0.2	0.0	0.9	1.8	4.6	0.4	3.1	1.5	
A Lot	0.7	2.4	1.6	4.3	4.4	1.3	4.4	2.5	
N of Valid	609	170	571	506	410	1350	916	2266	
N of Miss	6	1	7	8	4	14	12	26	

Table 4.19: Does your school set clear rules on using drugs at school?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	3.7	4.2	3.7	9.3	9.5	3.8	9.4	6.1	
Seldom	3.2	7.2	7.3	10.7	12.4	5.4	11.5	7.9	
Sometimes	6.7	16.3	12.8	19.8	19.2	10.5	19.5	14.2	
Often	11.6	19.3	20.7	24.8	25.5	16.4	25.1	20.0	
A Lot	74.8	53.0	55.5	35.4	33.5	63.9	34.6	51.9	
N of Valid	596	166	564	505	412	1326	917	2243	
N of Miss	19	5	14	9	2	38	11	49	

Table 4.20: Does your school set clear rules on bullying or threatening other students at school?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	1.5	4.1	3.7	11.9	13.6	2.8	12.6	6.8	
Seldom	2.8	11.2	7.6	9.1	16.5	5.9	12.4	8.6	
Sometimes	6.0	16.6	16.4	21.4	20.1	11.8	20.8	15.4	
Often	15.3	20.7	22.9	22.4	22.6	19.2	22.5	20.6	
A Lot	74.3	47.3	49.4	35.2	27.2	60.3	31.6	48.6	
N of Valid	600	169	567	505	412	1336	917	2253	
N of Miss	15	2	11	9	2	28	11	39	

Table 4.21: Do your parents set clear rules for you?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	0.7	1.8	2.1	4.6	5.9	1.4	5.2	2.9	
Seldom	1.7	4.2	4.0	4.4	6.1	3.0	5.2	3.9	
Sometimes	5.4	13.2	12.3	15.1	18.9	9.3	16.8	12.3	
Often	20.4	21.0	21.4	26.0	27.0	20.9	26.5	23.2	
A Lot	71.9	59.9	60.2	49.9	42.2	65.4	46.4	57.7	
N of Valid	598	167	570	503	408	1335	911	2246	
N of Miss	17	4	8	11	6	29	17	46	

Table 4.22: Do your parents punish you when you break the rules?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	3.2	2.4	2.6	6.7	9.8	2.8	8.1	5.0	
Seldom	6.5	5.9	7.4	8.3	11.2	6.8	9.6	7.9	
Sometimes	20.4	27.1	24.9	24.8	25.4	23.2	25.1	23.9	
Often	30.6	34.7	33.1	28.0	30.0	32.2	28.9	30.8	
A Lot	39.4	30.0	32.0	32.1	23.7	35.1	28.3	32.3	
N of Valid	602	170	571	504	410	1343	914	2257	
N of Miss	13	1	7	10	4	21	14	35	

Table 4.23: Have you been in trouble with the police?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	95.0	83.2	84.9	80.6	81.7	89.3	81.1	86.0	
Seldom	3.3	10.8	8.6	10.3	10.2	6.5	10.3	8.0	
Sometimes	0.8	1.2	3.9	3.4	5.1	2.2	4.1	3.0	
Often	0.3	2.4	1.2	2.8	0.7	1.0	1.9	1.3	
A Lot	0.5	2.4	1.4	3.0	2.2	1.1	2.6	1.7	
N of Valid	605	167	569	506	410	1341	916	2257	
N of Miss	10	4	9	8	4	23	12	35	

Table 4.24: Do you take part in gang activities?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	93.8	91.0	93.3	89.6	91.9	93.2	90.6	92.2	
Seldom	3.5	5.4	2.5	2.8	2.2	3.3	2.5	3.0	
Sometimes	1.3	1.2	2.5	1.4	2.5	1.8	1.9	1.8	
Often	0.8	1.2	0.5	1.8	0.7	0.8	1.3	1.0	
A Lot	0.5	1.2	1.2	4.4	2.7	0.9	3.6	2.0	
N of Valid	597	167	567	502	407	1331	909	2240	
N of Miss	18	4	11	12	7	33	19	52	

Table 4.25: Have you thought about committing suicide?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	85.4	69.0	70.1	66.7	61.3	76.8	64.3	71.7	
Seldom	8.2	7.1	10.9	14.9	13.1	9.2	14.1	11.2	
Sometimes	4.0	11.9	9.3	10.0	14.4	7.2	11.9	9.2	
Often	1.7	7.7	3.9	4.0	6.3	3.4	5.0	4.0	
A Lot	0.8	4.2	5.8	4.4	4.9	3.4	4.6	3.9	
N of Valid	601	168	569	502	411	1338	913	2251	
N of Miss	14	3	9	12	3	26	15	41	

Table 4.26: Do your friends use tobacco (cigarettes, etc.)?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	86.1	71.3	55.9	42.8	30.7	71.5	37.4	57.7	
Seldom	5.4	7.8	15.6	13.2	16.1	10.0	14.5	11.8	
Sometimes	3.1	13.8	14.4	17.4	21.0	9.2	19.0	13.2	
Often	2.3	4.2	7.2	10.5	13.7	4.6	11.9	7.6	
A Lot	3.1	3.0	6.9	16.2	18.5	4.7	17.2	9.8	
N of Valid	610	167	569	507	410	1346	917	2263	
N of Miss	5	4	9	7	4	18	11	29	

Table 4.27: Do your friends use alcohol (beer, liquor, etc.)?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	92.0	77.0	63.3	31.3	19.8	78.0	26.1	57.0	
Seldom	3.3	7.9	15.6	15.0	12.7	9.1	14.0	11.1	
Sometimes	2.3	7.9	11.9	23.2	23.2	7.1	23.2	13.6	
Often	0.8	3.6	3.9	13.3	22.7	2.5	17.5	8.5	
A Lot	1.6	3.6	5.3	17.2	21.5	3.4	19.1	9.8	
N of Valid	610	165	570	505	409	1345	914	2259	
N of Miss	5	6	8	9	5	19	14	33	

Table 4.28: Do your friends use marijuana (pot, hash, etc.)?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	94.4	75.0	66.8	43.9	32.3	80.4	38.7	63.4	
Seldom	3.0	9.1	12.1	14.6	13.0	7.6	13.8	10.1	
Sometimes	1.5	6.1	9.3	17.2	18.6	5.3	17.8	10.4	
Often	0.0	6.1	4.6	9.8	14.9	2.7	12.1	6.5	
A Lot	1.2	3.7	7.1	14.6	21.3	4.0	17.6	9.5	
N of Valid	605	164	561	501	409	1330	910	2240	
N of Miss	10	7	17	13	5	34	18	52	

Table 4.29: Do your friends use prescription drugs not prescribed to them?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	96.5	92.0	86.9	79.6	76.3	91.9	78.1	86.3	
Seldom	1.7	4.3	8.1	8.5	9.8	4.7	9.1	6.5	
Sometimes	0.5	1.9	2.1	5.6	6.4	1.4	5.9	3.2	
Often	0.2	0.6	1.2	2.4	3.4	0.7	2.8	1.6	
A Lot	1.2	1.2	1.6	4.0	4.2	1.4	4.1	2.5	
N of Valid	604	162	565	504	409	1331	913	2244	
N of Miss	11	9	13	10	5	33	15	48	

Table 4.30: Have you had 5 or more glasses of beer, coolers, breezers or liquor within a few hours?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	99.2	94.6	91.8	79.2	65.1	95.5	72.9	86.3	
Seldom	0.5	2.4	4.0	5.3	9.3	2.2	7.1	4.2	
Sometimes	0.0	0.6	1.6	5.7	11.5	0.7	8.3	3.8	
Often	0.0	0.6	1.2	3.6	6.1	0.6	4.7	2.3	
A Lot	0.3	1.8	1.4	6.1	8.0	1.0	7.0	3.4	
N of Valid	610	168	570	505	410	1348	915	2263	
N of Miss	5	3	8	9	4	16	13	29	

Table 4.31: Does your school ask any students to take a drug test?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Yes	77.1	69.9	69.3	86.9	88.6	72.9	87.7	79.0	
No	22.9	30.1	30.7	13.1	11.4	27.1	12.3	21.0	
N of Valid	567	156	541	498	402	1264	900	2164	
N of Miss	48	15	37	16	12	100	28	128	

Table 4.32: Do you think that you are overweight?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Yes	22.4	28.4	31.2	34.9	34.2	26.9	34.6	30.0	
No	77.6	71.6	68.8	65.1	65.8	73.1	65.4	70.0	
N of Valid	589	162	552	499	403	1303	902	2205	
N of Miss	26	9	26	15	11	61	26	87	

Table 4.33: Has a doctor told you that you are overweight?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Yes	6.9	13.5	13.0	15.1	19.5	10.3	17.0	13.1	
No	93.1	86.5	87.0	84.9	80.5	89.7	83.0	86.9	
N of Valid	583	163	554	498	401	1300	899	2199	
N of Miss	32	8	24	16	13	64	29	93	

Table 4.34: Have you bought or sold drugs AT school?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.7	2.5	2.5	7.0	9.2	1.7	8.0	4.3
No	99.3	97.5	97.5	93.0	90.8	98.3	92.0	95.7
N of Valid	589	163	554	499	403	1306	902	2208
N of Miss	26	8	24	15	11	58	26	84

Table 4.35: Have you bought or sold drugs when NOT at school?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.9	3.8	6.5	13.7	21.9	3.6	17.3	9.2
No	99.1	96.2	93.5	86.3	78.1	96.4	82.7	90.8
N of Valid	582	159	553	497	398	1294	895	2189
N of Miss	33	12	25	17	16	70	33	103

Table 4.36: Have you carried a gun for protection or as a weapon when NOT at school in the past year?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	5.7	11.1	10.6	14.1	9.2	8.5	11.9	9.9
No	94.3	88.9	89.4	85.9	90.8	91.5	88.1	90.1
N of Valid	592	162	558	497	402	1312	899	2211
N of Miss	23	9	20	17	12	52	29	81

4.3 Within The Past Year How Often Have You...

Table 4.37: Within the past year how often have you used tobacco?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	97.3	90.5	87.9	78.3	70.2	92.5	74.7	85.3
Once/year	2.0	3.0	3.9	4.6	4.6	2.9	4.6	3.6
6 times/year	0.2	1.2	1.4	3.0	4.4	0.8	3.6	2.0
Once/month	0.2	1.8	0.9	1.8	2.4	0.7	2.1	1.2
Twice/month	0.0	0.6	1.1	0.6	1.5	0.5	1.0	0.7
Once/week	0.0	1.2	1.6	2.4	2.7	0.8	2.5	1.5
3 times/week	0.2	0.0	1.2	2.2	3.4	0.6	2.7	1.5
Every day	0.2	1.8	2.1	7.2	10.8	1.2	8.8	4.3
N of Valid	603	169	569	503	409	1341	912	2253
N of Miss	12	2	9	11	5	23	16	39

Table 4.38: Within the past year how often have you drunk alcohol?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	97.0	84.5	80.5	57.6	42.8	88.4	50.9	73.2
Once/year	2.0	7.1	10.9	14.1	17.2	6.4	15.5	10.1
6 times/year	0.3	2.4	3.2	9.4	8.6	1.8	9.0	4.7
Once/month	0.0	1.8	1.8	4.4	10.1	1.0	6.9	3.4
Twice/month	0.2	1.8	1.9	7.0	11.5	1.1	9.0	4.3
Once/week	0.2	0.0	0.7	3.6	7.1	0.4	5.2	2.3
3 times/week	0.0	0.6	1.1	2.4	1.2	0.5	1.9	1.1
Every day	0.3	1.8	0.0	1.6	1.5	0.4	1.5	0.8
N of Valid	598	168	570	502	407	1336	909	2245
N of Miss	17	3	8	12	7	28	19	47

Table 4.39: Within the past year how often have you smoked marijuana?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	98.8	91.1	88.7	76.9	65.8	93.6	72.0	84.8	
Once/year	0.5	2.4	3.7	7.4	6.6	2.1	7.0	4.1	
6 times/year	0.0	0.6	2.1	3.6	4.2	1.0	3.8	2.1	
Once/month	0.2	3.0	1.1	1.6	2.9	0.9	2.2	1.4	
Twice/month	0.0	0.0	1.4	1.2	4.2	0.6	2.5	1.4	
Once/week	0.2	0.6	0.5	1.8	3.2	0.4	2.4	1.2	
3 times/week	0.0	0.6	1.2	3.0	4.2	0.6	3.5	1.8	
Every day	0.3	1.8	1.2	4.6	8.8	0.9	6.5	3.2	
N of Valid	603	168	566	503	407	1337	910	2247	
N of Miss	12	3	12	11	7	27	18	45	

Table 4.40: Within the past year how often have you used cocaine?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	99.7	97.6	98.9	94.6	94.6	99.1	94.6	97.3	
Once/year	0.0	0.0	0.5	1.4	2.9	0.2	2.1	1.0	
6 times/year	0.2	0.0	0.0	0.8	0.2	0.1	0.5	0.3	
Once/month	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.1	
Twice/month	0.0	1.2	0.2	0.6	0.2	0.2	0.4	0.3	
Once/week	0.0	0.6	0.0	0.2	0.0	0.1	0.1	0.1	
3 times/week	0.0	0.0	0.2	0.4	0.0	0.1	0.2	0.1	
Every day	0.2	0.6	0.2	1.6	2.0	0.2	1.8	0.8	
N of Valid	599	166	570	504	409	1335	913	2248	
N of Miss	16	5	8	10	5	29	15	44	

Table 4.41: Within the past year how often have you used inhalants?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	99.2	95.8	97.3	95.6	97.1	98.0	96.3	97.3	
Once/year	0.3	0.6	1.4	0.8	0.5	0.8	0.7	0.8	
6 times/year	0.2	1.8	0.7	0.4	0.2	0.6	0.3	0.5	
Once/month	0.0	0.6	0.0	0.6	0.0	0.1	0.3	0.2	
Twice/month	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	
Once/week	0.0	0.0	0.5	0.2	0.2	0.2	0.2	0.2	
3 times/week	0.2	1.2	0.0	0.4	0.0	0.2	0.2	0.2	
Every day	0.2	0.0	0.0	1.8	2.0	0.1	1.9	0.8	
N of Valid	601	167	566	503	408	1334	911	2245	
N of Miss	14	4	12	11	6	30	17	47	

Table 4.42: Within the past year how often have you used hallucinogens?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	99.7	97.6	98.2	93.5	94.4	98.8	93.9	96.8	
Once/year	0.2	0.6	1.2	1.8	2.5	0.7	2.1	1.2	
6 times/year	0.0	1.2	0.0	1.8	0.0	0.1	1.0	0.5	
Once/month	0.0	0.0	0.0	0.4	0.7	0.0	0.5	0.2	
Twice/month	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	
Once/week	0.0	0.6	0.2	0.4	0.0	0.1	0.2	0.2	
3 times/week	0.0	0.0	0.2	0.0	0.2	0.1	0.1	0.1	
Every day	0.2	0.0	0.2	2.2	2.0	0.1	2.1	0.9	
N of Valid	603	166	566	507	408	1335	915	2250	
N of Miss	12	5	12	7	6	29	13	42	

Table 4.43: Within the past year how often have you used heroin?








RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	99.8	98.2	99.3	96.0	96.8	99.4	96.4	98.2	
Once/year	0.0	0.0	0.2	0.8	0.5	0.1	0.7	0.3	
6 times/year	0.0	0.0	0.0	0.4	0.5	0.0	0.4	0.2	
Once/month	0.0	0.6	0.0	0.2	0.0	0.1	0.1	0.1	
Twice/month	0.0	1.2	0.4	0.2	0.0	0.3	0.1	0.2	
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3 times/week	0.0	0.0	0.0	0.4	0.2	0.0	0.3	0.1	
Every day	0.2	0.0	0.2	2.0	2.0	0.2	2.0	0.9	
N of Valid	598	167	563	504	409	1328	913	2241	
N of Miss	17	4	15	10	5	36	15	51	

Table 4.44: Within the past year how often have you used steroids?








RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	98.5	97.0	98.0	95.3	96.0	98.1	95.6	97.1	
Once/year	0.7	1.2	1.6	1.2	1.0	1.1	1.1	1.1	
6 times/year	0.2	0.0	0.2	0.0	0.2	0.2	0.1	0.1	
Once/month	0.0	1.2	0.0	0.4	0.2	0.2	0.3	0.2	
Twice/month	0.0	0.0	0.0	0.4	0.2	0.0	0.3	0.1	
Once/week	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	
3 times/week	0.3	0.6	0.0	0.4	0.2	0.2	0.3	0.3	
Every day	0.3	0.0	0.0	2.4	2.0	0.2	2.2	1.0	
N of Valid	597	167	561	506	405	1325	911	2236	
N of Miss	18	4	17	8	9	39	17	56	

Table 4.45: Within the past year how often have you used ecstasy?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	99.7	98.2	99.3	94.3	95.6	99.3	94.9	97.5	
Once/year	0.2	0.6	0.5	1.2	1.5	0.4	1.3	0.8	
6 times/year	0.0	0.6	0.0	1.6	0.5	0.1	1.1	0.5	
Once/month	0.0	0.0	0.0	0.6	0.2	0.0	0.4	0.2	
Twice/month	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.1	
Once/week	0.0	0.6	0.0	0.4	0.2	0.1	0.3	0.2	
3 times/week	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	
Every day	0.2	0.0	0.0	1.6	2.0	0.1	1.8	0.8	
N of Valid	598	166	566	505	408	1330	913	2243	
N of Miss	17	5	12	9	6	34	15	49	

Table 4.46: Within the past year how often have you used meth?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	99.7	98.2	99.1	97.0	97.0	99.2	97.0	98.3	
Once/year	0.0	0.0	0.4	1.0	0.7	0.2	0.9	0.4	
6 times/year	0.2	0.0	0.0	0.2	0.0	0.1	0.1	0.1	
Once/month	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Once/week	0.0	0.6	0.0	0.4	0.2	0.1	0.3	0.2	
3 times/week	0.0	0.0	0.4	0.0	0.0	0.2	0.0	0.1	
Every day	0.2	1.2	0.2	1.4	1.7	0.3	1.5	0.8	
N of Valid	595	168	564	502	406	1327	908	2235	
N of Miss	20	3	14	12	8	37	20	57	

Table 4.47: Within the past year how often have you used prescription drugs?









RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	99.7	96.4	97.0	92.4	91.2	98.1	91.9	95.6	
Once/year	0.0	0.6	1.6	1.8	2.5	0.8	2.1	1.3	
6 times/year	0.0	0.6	0.2	1.0	2.0	0.2	1.4	0.7	
Once/month	0.2	0.6	0.9	1.8	1.2	0.5	1.5	0.9	
Twice/month	0.0	1.2	0.0	0.4	0.7	0.2	0.5	0.3	
Once/week	0.0	0.0	0.0	0.6	0.5	0.0	0.5	0.2	
3 times/week	0.0	0.6	0.4	0.2	0.2	0.2	0.2	0.2	
Every day	0.2	0.0	0.0	1.8	1.7	0.1	1.8	0.8	
N of Valid	595	167	560	503	408	1322	911	2233	
N of Miss	20	4	18	11	6	42	17	59	

Table 4.48: Within the past year how often have you used over-the-counter drugs?









RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	99.3	97.0	96.8	92.7	95.8	98.0	94.1	96.4	
Once/year	0.2	0.0	1.4	2.0	0.7	0.7	1.4	1.0	
6 times/year	0.2	0.0	0.2	0.8	0.5	0.2	0.7	0.4	
Once/month	0.0	1.8	0.7	0.6	1.0	0.5	0.8	0.6	
Twice/month	0.0	0.6	0.5	0.6	0.0	0.3	0.3	0.3	
Once/week	0.2	0.0	0.0	1.0	0.2	0.1	0.7	0.3	
3 times/week	0.0	0.6	0.2	0.6	0.0	0.2	0.3	0.2	
Every day	0.2	0.0	0.2	1.8	1.7	0.2	1.8	0.8	
N of Valid	594	165	562	504	405	1321	909	2230	
N of Miss	21	6	16	10	9	43	19	62	

Table 4.49: Within the past year how often have you used any illicit drug?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	96.9	87.0	84.6	75.1	64.9	90.4	70.6	82.4	
Once/year	1.5	3.0	6.3	7.3	7.1	3.7	7.2	5.1	
6 times/year	0.5	1.8	2.6	3.0	3.9	1.6	3.4	2.3	
Once/month	0.0	3.0	1.4	1.8	2.7	1.0	2.2	1.5	
Twice/month	0.0	0.0	1.6	1.4	4.4	0.7	2.7	1.5	
Once/week	0.2	0.6	0.9	2.2	3.2	0.5	2.6	1.4	
3 times/week	0.5	1.8	1.2	2.8	4.4	1.0	3.5	2.0	
Every day	0.5	3.0	1.4	6.5	9.5	1.2	7.9	3.9	
N of Valid	607	169	570	507	410	1346	917	2263	
N of Miss	8	2	8	7	4	18	11	29	

4.4 How Easy Is It To Get...

Table 4.50: How easy is it to get tobacco (cigarettes, cigars, dip, etc.)?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	79.3	62.7	57.7	34.8	25.2	68.1	30.5	52.8	
Very Difficult	4.2	3.6	4.7	2.2	0.0	4.4	1.2	3.1	
Fairly Difficult	2.4	3.0	5.6	4.7	3.0	3.8	3.9	3.9	
Fairly Easy	6.3	17.5	16.7	25.2	19.5	12.1	22.6	16.4	
Very Easy	7.8	13.3	15.2	33.1	52.2	11.6	41.7	23.8	
N of Valid	589	166	551	489	400	1306	889	2195	
N of Miss	26	5	27	25	14	58	39	97	

Table 4.51: How easy is it to get alcohol (beer, coolers, liquor, etc.)?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	77.5	60.5	56.2	31.0	25.8	66.4	28.6	51.1	
Very Difficult	4.9	4.8	5.3	4.7	2.8	5.1	3.8	4.6	
Fairly Difficult	3.4	7.2	10.1	10.9	9.2	6.7	10.1	8.1	
Fairly Easy	8.0	12.6	12.8	27.1	30.2	10.6	28.5	17.9	
Very Easy	6.1	15.0	15.6	26.3	32.0	11.2	28.9	18.4	
N of Valid	587	167	546	487	400	1300	887	2187	
N of Miss	28	4	32	27	14	64	41	105	

Table 4.52: How easy is it to get marijuana (pot, hash, etc.)?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	88.5	65.9	63.4	41.0	32.3	75.0	37.1	59.6	
Very Difficult	5.1	7.2	6.6	4.7	3.0	6.0	3.9	5.2	
Fairly Difficult	2.7	10.2	7.7	8.6	6.5	5.8	7.7	6.6	
Fairly Easy	1.2	6.6	10.8	18.4	20.3	5.9	19.3	11.4	
Very Easy	2.4	10.2	11.5	27.3	37.8	7.3	32.0	17.3	
N of Valid	583	167	546	488	399	1296	887	2183	
N of Miss	32	4	32	26	15	68	41	109	

Table 4.53: How easy is it to get prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	81.8	66.9	66.1	51.1	48.1	73.3	49.8	63.8	
Very Difficult	4.1	8.4	4.6	8.2	6.6	4.9	7.5	5.9	
Fairly Difficult	3.8	6.0	7.5	8.8	12.7	5.6	10.5	7.6	
Fairly Easy	4.5	4.8	8.6	14.1	14.9	6.2	14.5	9.6	
Very Easy	5.8	13.9	13.2	17.8	17.7	10.0	17.8	13.1	
N of Valid	584	166	546	489	395	1296	884	2180	
N of Miss	31	5	32	25	19	68	44	112	

4.5 Do You Feel The Following Are Harmful To Your Health?

Table 4.54: How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?





RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
No Risk	16.4	18.8	14.0	10.8	14.3	15.7	12.4	14.3	
Slight Risk	8.6	8.5	9.2	7.2	6.9	8.8	7.1	8.1	
Moderate Risk	22.3	26.7	23.3	23.7	17.5	23.3	20.9	22.3	
Great Risk	52.7	46.1	53.5	58.2	61.3	52.2	59.6	55.2	
N of Valid	596	165	566	498	406	1327	904	2231	
N of Miss	19	6	12	16	8	37	24	61	

Table 4.55: How much do you think people risk harming themselves physically or in other ways if they smoke e-cigarettes, e-cigars or e-hookahs?





RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
No Risk	20.4	20.5	19.6	16.7	18.5	20.1	17.5	19.0	
Slight Risk	17.3	24.1	29.0	31.3	30.9	23.2	31.1	26.4	
Moderate Risk	33.3	36.1	33.0	30.9	29.9	33.5	30.5	32.3	
Great Risk	29.0	19.3	18.4	21.1	20.7	23.2	20.9	22.3	
N of Valid	589	166	566	498	405	1321	903	2224	
N of Miss	26	5	12	16	9	43	25	68	

Table 4.56: How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage (beer, coolers, liquor) once or twice a week?





RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
No Risk	18.8	22.6	16.9	12.9	16.6	18.4	14.6	16.9	
Slight Risk	14.7	24.4	22.6	26.0	24.1	19.3	25.1	21.7	
Moderate Risk	34.9	23.2	31.8	28.4	31.3	32.1	29.7	31.1	
Great Risk	31.6	29.9	28.8	32.7	28.0	30.2	30.6	30.4	
N of Valid	591	164	563	496	403	1318	899	2217	
N of Miss	24	7	15	18	11	46	29	75	

Table 4.57: How much do you think people risk harming themselves physically or in other ways if they take one or two drinks of an alcoholic beverage (beer, coolers, liquor) nearly every day?





RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
No Risk	21.9	26.4	22.6	18.1	20.1	22.8	19.0	21.2	
Slight Risk	23.4	25.8	26.6	26.6	23.1	25.0	25.0	25.0	
Moderate Risk	23.4	24.5	28.7	24.7	30.8	25.8	27.4	26.5	
Great Risk	31.3	23.3	22.1	30.6	26.1	26.4	28.6	27.3	
N of Valid	594	163	561	497	403	1318	900	2218	
N of Miss	21	8	17	17	11	46	28	74	

Table 4.58: How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?









RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
No Risk	19.2	26.7	26.0	31.5	41.1	23.0	35.8	28.2	
Slight Risk	9.0	20.0	20.1	22.2	24.7	15.1	23.3	18.4	
Moderate Risk	24.3	22.4	23.9	20.6	15.2	23.9	18.2	21.6	
Great Risk	47.5	30.9	29.9	25.8	19.0	37.9	22.7	31.8	
N of Valid	589	165	561	496	401	1315	897	2212	
N of Miss	26	6	17	18	13	49	31	80	

Table 4.59: How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
No Risk	17.4	19.0	14.0	9.7	11.6	16.1	10.6	13.9	
Slight Risk	4.0	7.4	5.7	6.5	4.2	5.1	5.4	5.3	
Moderate Risk	16.5	23.3	19.1	20.2	21.3	18.5	20.7	19.4	
Great Risk	62.1	50.3	61.3	63.7	62.9	60.3	63.3	61.5	
N of Valid	593	163	566	496	404	1322	900	2222	
N of Miss	22	8	12	18	10	42	28	70	

4.6 During the past 30 days:

Table 4.60: During the past 30 days did you smoke part or all of a cigarettes?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.8	6.5	6.7	13.2	17.6	4.5	15.2	8.8 
No	98.2	93.5	93.3	86.8	82.4	95.5	84.8	91.2 
N of Valid	607	169	570	506	410	1346	916	2262
N of Miss	8	2	8	8	4	18	12	30

Table 4.61: During the past 30 days did you smoke an e-cigarette, e-cigar, or e-hookah?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.8	5.9	7.7	14.2	19.6	4.8	16.6	9.6 
No	98.2	94.1	92.3	85.8	80.4	95.2	83.4	90.4 
N of Valid	606	169	571	506	409	1346	915	2261
N of Miss	9	2	7	8	5	18	13	31

Table 4.62: During the past 30 days did you drink one or more drinks of an alcoholic beverage?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	2.7	8.3	10.6	23.5	34.8	6.7	28.5	15.6 
No	97.3	91.7	89.4	76.5	65.2	93.3	71.5	84.4 
N of Valid	601	169	567	503	408	1337	911	2248
N of Miss	14	2	11	11	6	27	17	44

Table 4.63: During the past 30 days have you used marijuana or hashish?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.2	5.4	7.4	14.9	25.5	4.3	19.6	10.5 
No	98.8	94.6	92.6	85.1	74.5	95.7	80.4	89.5 
N of Valid	604	168	570	505	408	1342	913	2255
N of Miss	11	3	8	9	6	22	15	37

Table 4.64: During the past 30 days have you used prescription drugs not prescribed to you?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.8	3.6	3.7	6.1	5.4	2.8	5.8	4.0 
No	98.2	96.4	96.3	93.9	94.6	97.2	94.2	96.0 
N of Valid	599	168	568	507	405	1335	912	2247
N of Miss	16	3	10	7	9	29	16	45

Table 4.65: During the past 30 days have you used over-the-counter drugs (to get high)?





RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.3	2.4	1.8	5.0	4.2	1.6	4.6	2.8 
No	98.7	97.6	98.2	95.0	95.8	98.4	95.4	97.2 
N of Valid	601	168	565	505	409	1334	914	2248
N of Miss	14	3	13	9	5	30	14	44

Table 4.66: During the past 30 days have you used inhalants (glue, gas, etc.)?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.2	4.2	1.4	3.6	3.0	1.7	3.3	2.3 
No	98.8	95.8	98.6	96.4	97.0	98.3	96.7	97.7 
N of Valid	597	168	565	502	406	1330	908	2238
N of Miss	18	3	13	12	8	34	20	54

4.7 At What Age Did You First...

Table 4.67: At what age did you first use tobacco?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	96.4	86.2	84.0	72.9	64.6	89.9	69.2	81.5
10 or under	1.8	6.6	5.3	4.6	3.2	3.9	4.0	3.9
11	1.7	3.6	2.8	2.0	1.2	2.4	1.7	2.1
12	0.0	1.8	3.0	4.2	3.2	1.5	3.8	2.4
13	0.0	0.6	4.3	5.0	4.7	1.9	4.9	3.1
14	0.0	0.6	0.4	3.2	5.0	0.2	4.0	1.7
15	0.0	0.0	0.0	5.4	4.7	0.0	5.1	2.1
16	0.0	0.6	0.0	2.0	7.9	0.1	4.7	1.9
17 or older	0.2	0.0	0.2	0.6	5.4	0.2	2.8	1.2
N of Valid	603	167	563	498	404	1333	902	2235
N of Miss	12	4	15	16	10	31	26	57

Table 4.68: At what age did you first drink alcohol?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	93.2	81.4	73.8	50.8	39.4	83.6	45.7	68.3
10 or under	4.6	5.4	8.2	7.3	4.0	6.2	5.8	6.0
11	1.8	4.8	3.4	1.6	2.0	2.9	1.8	2.4
12	0.2	6.0	4.1	4.2	2.5	2.6	3.4	2.9
13	0.0	2.4	8.4	6.5	4.7	3.8	5.7	4.6
14	0.0	0.0	1.6	10.7	7.2	0.7	9.1	4.1
15	0.0	0.0	0.2	13.9	11.6	0.1	12.9	5.2
16	0.0	0.0	0.0	4.4	15.8	0.0	9.6	3.9
17 or older	0.2	0.0	0.4	0.6	12.9	0.2	6.1	2.6
N of Valid	603	167	562	496	404	1332	900	2232
N of Miss	12	4	16	18	10	32	28	60

Table 4.69: At what age did you first smoke marijuana?










RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never used	98.7	92.7	87.3	75.8	62.4	93.1	69.8	83.7	
10 or under	0.8	2.4	1.4	2.6	2.7	1.3	2.7	1.8	
11	0.3	1.8	2.0	1.2	0.7	1.2	1.0	1.1	
12	0.2	1.2	3.4	3.6	1.2	1.7	2.5	2.0	
13	0.0	1.8	4.1	3.0	3.0	2.0	3.0	2.4	
14	0.0	0.0	1.6	4.8	5.9	0.7	5.3	2.6	
15	0.0	0.0	0.2	5.6	9.4	0.1	7.3	3.0	
16	0.0	0.0	0.0	2.6	8.4	0.0	5.2	2.1	
17 or older	0.0	0.0	0.0	0.8	6.2	0.0	3.2	1.3	
N of Valid	602	165	559	500	404	1326	904	2230	
N of Miss	13	6	19	14	10	38	24	62	

Table 4.70: At what age did you first use cocaine?









RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never used	99.8	98.2	98.9	95.2	95.1	99.2	95.1	97.6	
10 or under	0.2	1.2	0.4	2.0	2.0	0.4	2.0	1.0	
11	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	
12	0.0	0.0	0.2	0.6	0.2	0.1	0.4	0.2	
13	0.0	0.6	0.2	0.0	0.0	0.2	0.0	0.1	
14	0.0	0.0	0.0	0.6	0.2	0.0	0.4	0.2	
15	0.0	0.0	0.0	0.6	0.5	0.0	0.6	0.2	
16	0.0	0.0	0.0	0.4	0.5	0.0	0.4	0.2	
17 or older	0.0	0.0	0.2	0.6	1.5	0.1	1.0	0.4	
N of Valid	599	166	558	500	405	1323	905	2228	
N of Miss	16	5	20	14	9	41	23	64	

Table 4.71: At what age did you first use inhalants?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	99.0	93.3	97.1	95.0	97.3	97.5	96.0	96.9
10 or under	0.3	4.3	0.9	2.8	1.5	1.1	2.2	1.5
11	0.5	0.6	0.4	0.4	0.2	0.5	0.3	0.4
12	0.2	1.8	0.7	0.8	0.2	0.6	0.6	0.6
13	0.0	0.0	0.5	0.2	0.2	0.2	0.2	0.2
14	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0
15	0.0	0.0	0.0	0.2	0.5	0.0	0.3	0.1
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17 or older	0.0	0.0	0.2	0.6	0.0	0.1	0.3	0.2
N of Valid	599	164	558	501	405	1321	906	2227
N of Miss	16	7	20	13	9	43	22	65

Table 4.72: At what age did you first use hallucinogens?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	99.8	98.2	98.2	93.6	94.8	98.9	94.1	97.0
10 or under	0.2	1.8	0.2	2.0	1.5	0.4	1.8	0.9
11	0.0	0.0	0.2	0.4	0.2	0.1	0.3	0.2
12	0.0	0.0	0.4	0.2	0.2	0.2	0.2	0.2
13	0.0	0.0	0.5	0.4	0.0	0.2	0.2	0.2
14	0.0	0.0	0.0	1.2	0.0	0.0	0.7	0.3
15	0.0	0.0	0.4	1.0	0.7	0.2	0.9	0.4
16	0.0	0.0	0.0	0.6	1.2	0.0	0.9	0.4
17 or older	0.0	0.0	0.2	0.6	1.2	0.1	0.9	0.4
N of Valid	599	165	556	499	406	1320	905	2225
N of Miss	16	6	22	15	8	44	23	67

Table 4.73: At what age did you first use heroin?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never used	99.8	98.8	99.3	95.8	97.0	99.5	96.3	98.2	
10 or under	0.2	1.2	0.2	1.8	1.7	0.3	1.8	0.9	
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	0.0	0.0	0.0	0.4	0.2	0.0	0.3	0.1	
13	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	
14	0.0	0.0	0.0	0.4	0.2	0.0	0.3	0.1	
15	0.0	0.0	0.2	1.0	0.0	0.1	0.6	0.3	
16	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	
17 or older	0.0	0.0	0.2	0.6	0.5	0.1	0.6	0.3	
N of Valid	602	164	557	500	404	1323	904	2227	
N of Miss	13	7	21	14	10	41	24	65	

Table 4.74: At what age did you first use steroids?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never used	98.2	96.4	98.2	94.4	96.8	98.0	95.5	96.9	
10 or under	1.0	1.8	0.7	2.4	1.5	1.0	2.0	1.4	
11	0.7	0.0	0.2	0.2	0.0	0.4	0.1	0.3	
12	0.0	0.6	0.4	0.6	0.5	0.2	0.6	0.4	
13	0.0	1.2	0.2	0.4	0.0	0.2	0.2	0.2	
14	0.0	0.0	0.2	0.4	0.2	0.1	0.3	0.2	
15	0.0	0.0	0.0	0.6	0.0	0.0	0.3	0.1	
16	0.0	0.0	0.0	0.4	0.2	0.0	0.3	0.1	
17 or older	0.2	0.0	0.2	0.6	0.7	0.2	0.7	0.4	
N of Valid	595	166	560	500	406	1321	906	2227	
N of Miss	20	5	18	14	8	43	22	65	

Table 4.75: At what age did you first use ecstasy?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never used	99.8	98.2	98.7	94.6	95.3	99.2	94.9	97.4	
10 or under	0.2	1.2	0.2	1.8	1.7	0.3	1.8	0.9	
11	0.0	0.0	0.2	0.2	0.0	0.1	0.1	0.1	
12	0.0	0.6	0.2	0.2	0.5	0.2	0.3	0.2	
13	0.0	0.0	0.2	0.2	0.2	0.1	0.2	0.1	
14	0.0	0.0	0.4	1.0	0.2	0.2	0.7	0.4	
15	0.0	0.0	0.0	1.0	0.0	0.0	0.6	0.2	
16	0.0	0.0	0.0	0.2	0.7	0.0	0.4	0.2	
17 or older	0.0	0.0	0.2	0.8	1.2	0.1	1.0	0.5	
N of Valid	596	163	559	498	406	1318	904	2222	
N of Miss	19	8	19	16	8	46	24	70	

Table 4.76: At what age did you first use meth?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never used	99.8	98.2	99.1	96.6	97.3	99.3	96.9	98.3	
10 or under	0.2	1.8	0.2	1.6	1.7	0.4	1.7	0.9	
11	0.0	0.0	0.2	0.0	0.2	0.1	0.1	0.1	
12	0.0	0.0	0.0	0.4	0.5	0.0	0.4	0.2	
13	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	
14	0.0	0.0	0.2	0.4	0.2	0.1	0.3	0.2	
15	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.1	
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
17 or older	0.0	0.0	0.2	0.6	0.0	0.1	0.3	0.2	
N of Valid	592	165	555	498	403	1312	901	2213	
N of Miss	23	6	23	16	11	52	27	79	

Table 4.77: At what age did you first use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never used	99.3	95.8	95.2	91.2	91.8	97.1	91.5	94.8	
10 or under	0.5	1.2	0.7	1.6	1.7	0.7	1.7	1.1	
11	0.2	1.8	1.1	0.0	0.0	0.8	0.0	0.5	
12	0.0	0.6	0.7	1.4	0.5	0.4	1.0	0.6	
13	0.0	0.6	1.4	2.2	0.5	0.7	1.4	1.0	
14	0.0	0.0	0.7	1.0	0.7	0.3	0.9	0.5	
15	0.0	0.0	0.0	1.4	1.0	0.0	1.2	0.5	
16	0.0	0.0	0.0	0.6	1.5	0.0	1.0	0.4	
17 or older	0.0	0.0	0.2	0.6	2.2	0.1	1.3	0.6	
N of Valid	594	165	558	500	404	1317	904	2221	
N of Miss	21	6	20	14	10	47	24	71	

Table 4.78: At what age did you first use over-the-counter drugs to get high?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never used	99.3	96.4	96.6	93.4	95.3	97.8	94.2	96.3	
10 or under	0.3	2.4	0.7	1.6	1.7	0.8	1.7	1.1	
11	0.2	0.0	0.4	0.6	0.2	0.2	0.4	0.3	
12	0.2	0.6	0.4	0.8	0.2	0.3	0.6	0.4	
13	0.0	0.6	1.4	1.6	0.5	0.7	1.1	0.9	
14	0.0	0.0	0.2	0.2	0.0	0.1	0.1	0.1	
15	0.0	0.0	0.2	0.8	0.2	0.1	0.6	0.3	
16	0.0	0.0	0.0	0.4	1.0	0.0	0.7	0.3	
17 or older	0.0	0.0	0.2	0.6	0.7	0.1	0.7	0.3	
N of Valid	591	167	554	498	403	1312	901	2213	
N of Miss	24	4	24	16	11	52	27	79	

4.8 How Wrong Do Your Parents Feel It Would Be For You To...

Table 4.79: How wrong do your parents feel it would be for you to smoke tobacco?





RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Not at all wrong	4.2	5.6	1.8	5.2	9.2	3.3	7.0	4.8 
A little bit wrong	1.0	2.5	2.5	6.5	14.1	1.8	9.9	5.1 
Wrong	5.7	9.9	14.9	19.8	25.1	10.1	22.1	15.0 
Very wrong	89.1	82.1	80.8	68.5	51.6	84.7	61.0	75.1 
N of Valid	598	162	557	496	403	1317	899	2216
N of Miss	17	9	21	18	11	47	29	76

Table 4.80: How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?





RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Not at all wrong	4.3	5.5	2.1	5.9	9.2	3.5	7.3	5.1 
A little bit wrong	2.2	4.9	3.4	8.3	17.4	3.0	12.4	6.8 
Wrong	5.8	8.6	14.0	17.4	20.3	9.6	18.7	13.3 
Very wrong	87.7	81.0	80.5	68.5	53.1	83.8	61.6	74.8 
N of Valid	602	163	559	495	403	1324	898	2222
N of Miss	13	8	19	19	11	40	30	70

Table 4.81: How wrong do your parents feel it would be for you to smoke marijuana?









RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Not at all wrong	4.0	7.3	3.2	6.7	10.4	4.1	8.4	5.8 
A little bit wrong	1.0	1.2	3.8	10.5	13.4	2.2	11.8	6.1 
Wrong	3.2	5.5	10.0	12.3	15.1	6.4	13.6	9.3 
Very wrong	91.8	86.0	83.0	70.5	61.0	87.4	66.3	78.8 
N of Valid	599	164	559	495	403	1322	898	2220
N of Miss	16	7	19	19	11	42	30	72

Table 4.82: How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Not at all wrong	4.2	4.9	1.6	4.2	4.5	3.2	4.3	3.7 
A little bit wrong	0.5	1.8	1.8	2.0	2.5	1.2	2.2	1.6 
Wrong	2.9	2.4	4.6	7.7	7.5	3.6	7.6	5.2 
Very wrong	92.4	90.9	92.0	86.1	85.5	92.0	85.8	89.5 
N of Valid	595	164	560	496	401	1319	897	2216
N of Miss	20	7	18	18	13	45	31	76

4.9 How Wrong Do Your Friends Feel It Would Be For You To...

Table 4.83: How wrong do your friends feel it would be for you to smoke tobacco?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Not wrong at all	4.8	14.0	11.1	22.1	34.1	8.6	27.5	16.3
A little bit wrong	3.6	10.8	17.1	19.0	23.2	10.3	20.9	14.6
Wrong	15.5	22.3	24.7	25.2	20.5	20.3	23.1	21.4
Very wrong	76.0	52.9	47.2	33.7	22.2	60.8	28.6	47.7
N of Valid	579	157	551	489	396	1287	885	2172
N of Miss	36	14	27	25	18	77	43	120





Table 4.84: How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Not wrong at all	5.0	16.0	11.7	23.8	34.3	9.2	28.5	17.1
A little bit wrong	5.3	8.3	16.8	21.1	28.5	10.6	24.4	16.2
Wrong	13.8	23.1	26.2	24.0	18.6	20.2	21.6	20.8
Very wrong	75.9	52.6	45.3	31.0	18.6	59.9	25.5	45.9
N of Valid	580	156	554	487	397	1290	884	2174
N of Miss	35	15	24	27	17	74	44	118

Table 4.85: How wrong do your friends feel it would be for you to smoke marijuana?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Not wrong at all	4.8	16.8	15.9	32.0	44.7	11.0	37.7	21.9
A little bit wrong	2.2	7.1	13.4	18.3	20.9	7.6	19.5	12.4
Wrong	9.7	20.0	18.3	18.3	13.3	14.6	16.1	15.2
Very wrong	83.3	56.1	52.4	31.4	21.1	66.8	26.8	50.4
N of Valid	580	155	553	491	398	1288	889	2177
N of Miss	35	16	25	23	16	76	39	115

Table 4.86: How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Not wrong at all	4.3	11.7	6.4	13.1	16.4	6.1	14.6	9.6 
A little bit wrong	2.3	8.4	6.6	9.0	10.9	4.8	9.8	6.9 
Wrong	12.2	18.2	18.6	20.0	18.9	15.6	19.5	17.2 
Very wrong	81.2	61.7	68.5	58.0	53.8	73.4	56.1	66.3 
N of Valid	576	154	549	490	396	1279	886	2165
N of Miss	39	17	29	24	18	85	42	127

4.10 Where Do You Usually Use...

Table 4.87: Where do you usually use tobacco?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	94.3	86.0	85.3	77.4	72.2	89.4	75.1	83.6	
At home	0.5	5.3	6.6	9.9	12.8	3.7	11.2	6.7	
At school	0.0	0.6	0.5	4.3	4.3	0.3	4.3	1.9	
In a car	0.2	0.6	1.9	5.8	13.8	1.0	9.4	4.4	
Friend's house	1.3	3.5	6.2	10.7	14.0	3.7	12.2	7.1	
Other	0.8	2.3	4.5	7.4	10.9	2.6	8.9	5.1	
N of Valid	615	171	578	514	414	1364	928	2292	
N of Miss	0	0	0	0	0	0	0	0	

Table 4.88: Where do you usually drink alcohol?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	94.1	80.1	78.2	59.1	46.4	85.6	53.4	72.6	
At home	1.3	7.0	9.0	16.9	17.9	5.3	17.3	10.2	
At school	0.0	0.6	0.3	1.8	2.7	0.2	2.2	1.0	
In a car	0.2	1.2	0.0	3.7	4.6	0.2	4.1	1.8	
Friend's house	0.7	5.8	8.1	23.5	36.2	4.5	29.2	14.5	
Other	1.0	1.2	4.8	10.9	13.5	2.6	12.1	6.5	
N of Valid	615	171	578	514	414	1364	928	2292	
N of Miss	0	0	0	0	0	0	0	0	

Table 4.89: Where do you usually smoke marijuana?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	94.8	85.4	84.4	76.7	64.3	89.2	71.1	81.9	
At home	0.2	2.9	3.6	6.4	13.8	2.0	9.7	5.1	
At school	0.0	1.2	0.5	2.3	4.1	0.4	3.1	1.5	
In a car	0.0	0.6	1.0	6.6	15.2	0.5	10.5	4.5	
Friend's house	0.5	4.7	6.7	12.6	21.0	3.7	16.4	8.8	
Other	0.5	2.3	4.8	8.0	14.5	2.6	10.9	5.9	
N of Valid	615	171	578	514	414	1364	928	2292	
N of Miss	0	0	0	0	0	0	0	0	

Table 4.90: Where do you usually use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	95.4	88.9	91.7	87.2	88.4	93.0	87.7	90.9	
At home	0.5	1.8	2.1	4.5	3.9	1.3	4.2	2.5	
At school	0.2	0.6	0.7	2.3	2.2	0.4	2.3	1.2	
In a car	0.0	0.6	0.0	1.8	1.7	0.1	1.7	0.7	
Friend's house	0.2	1.8	0.7	3.5	2.4	0.6	3.0	1.6	
Other	0.5	0.0	1.2	1.9	3.1	0.7	2.5	1.4	
N of Valid	615	171	578	514	414	1364	928	2292	
N of Miss	0	0	0	0	0	0	0	0	

4.11 When Do You Usually Use...

Table 4.91: When do you usually use tobacco?







RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	93.5	83.6	85.3	78.0	72.5	88.8	75.5	83.4	
Before school	0.2	1.2	2.6	6.2	9.2	1.3	7.5	3.8	
During school	0.0	0.6	0.9	4.5	4.6	0.4	4.5	2.1	
After school	0.8	2.9	4.5	9.1	12.8	2.6	10.8	5.9	
Week nights	0.7	1.8	3.8	6.0	13.0	2.1	9.2	5.0	
Weekends	2.0	7.0	9.2	13.0	19.6	5.6	15.9	9.8	
N of Valid	615	171	578	514	414	1364	928	2292	
N of Miss	0	0	0	0	0	0	0	0	

Table 4.92: When do you usually drink alcohol?







RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Do not use	93.7	77.8	79.9	61.9	51.2	85.9	57.1	74.2	
Before school	0.0	0.6	0.3	1.8	1.7	0.2	1.7	0.8	
During school	0.0	0.6	0.2	1.6	2.4	0.1	1.9	0.9	
After school	0.7	1.8	2.2	4.7	4.1	1.5	4.4	2.7	
Week nights	0.5	1.2	2.9	3.7	2.9	1.6	3.3	2.3	
Weekends	1.5	11.1	14.2	30.7	42.8	8.1	36.1	19.4	
N of Valid	615	171	578	514	414	1364	928	2292	
N of Miss	0	0	0	0	0	0	0	0	

Table 4.93: When do you usually smoke marijuana?





RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	94.8	83.6	84.9	76.7	67.1	89.2	72.4	82.4
Before school	0.0	0.6	1.6	3.7	9.9	0.7	6.5	3.1
During school	0.0	1.8	0.7	1.9	3.9	0.5	2.8	1.4
After school	0.2	1.2	3.3	6.2	13.0	1.6	9.3	4.7
Week nights	0.3	1.8	3.1	5.8	11.8	1.7	8.5	4.5
Weekends	0.5	5.8	9.9	15.0	25.1	5.1	19.5	11.0
N of Valid	615	171	578	514	414	1364	928	2292
N of Miss	0	0	0	0	0	0	0	0

Table 4.94: When do you usually use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	93.8	86.5	92.2	89.1	90.6	92.2	89.8	91.2
Before school	0.0	1.8	0.7	2.1	2.7	0.5	2.4	1.3
During school	0.2	0.6	0.7	2.1	2.9	0.4	2.5	1.3
After school	0.2	1.2	0.5	2.9	2.2	0.4	2.6	1.3
Week nights	0.3	0.6	0.9	1.9	2.7	0.6	2.3	1.3
Weekends	0.3	2.3	1.4	3.3	3.9	1.0	3.6	2.1
N of Valid	615	171	578	514	414	1364	928	2292
N of Miss	0	0	0	0	0	0	0	0

4.12 How Do You Feel About Someone Your Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day?

Table 4.95: How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Neither approve nor disapprove	6.2	17.8	15.1	26.1	31.9	11.4	28.7	18.4	
Somewhat disapprove	5.0	6.6	15.5	18.1	19.1	9.6	18.5	13.2	
Strongly disapprove	76.7	64.5	56.7	40.9	37.7	66.8	39.5	55.7	
Don't know or can't say	12.1	11.2	12.7	14.8	11.3	12.2	13.2	12.6	
N of Valid	580	152	536	486	382	1268	868	2136	
N of Miss	35	19	42	28	32	96	60	156	

4.13 What Effect Do You Most Often Get When You Use

Table 4.96: What effect do you most often get when you drink alcohol?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Do Not Use	96.5	83.9	82.6	61.1	47.0	89.0	54.8	75.1
No High	2.0	10.6	9.3	14.9	15.9	6.2	15.4	9.9
A Little High	1.0	4.3	5.7	13.1	23.1	3.4	17.6	9.2
Very High	0.5	0.0	1.3	5.0	8.2	0.8	6.5	3.1
Bombed/Stoned	0.0	1.2	1.1	5.8	5.7	0.6	5.8	2.7
N of Valid	593	161	558	496	402	1312	898	2210
N of Miss	22	10	20	18	12	52	30	82

Table 4.97: What effect do you most often get when you smoke marijuana?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Do Not Use	98.0	91.4	87.4	79.5	66.2	92.7	73.6	84.9
No High	0.3	0.6	0.5	0.8	1.5	0.5	1.1	0.7
A Little High	0.5	3.1	3.4	5.1	7.8	2.1	6.3	3.8
Very High	1.2	2.5	3.8	5.9	9.8	2.4	7.6	4.5
Bombed/Stoned	0.0	2.5	4.9	8.7	14.6	2.4	11.3	6.0
N of Valid	590	163	556	493	397	1309	890	2199
N of Miss	25	8	22	21	17	55	38	93

Table 4.98: What effect do you most often get when you use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Do Not Use	99.0	96.9	95.5	92.1	91.9	97.2	92.0	95.1
No High	0.2	0.6	1.1	2.0	1.0	0.6	1.6	1.0
A Little High	0.3	1.3	1.4	1.6	3.3	0.9	2.4	1.5
Very High	0.5	0.0	1.2	1.4	1.3	0.8	1.3	1.0
Bombed/Stoned	0.0	1.3	0.7	2.8	2.5	0.5	2.7	1.4
N of Valid	587	159	560	495	397	1306	892	2198
N of Miss	28	12	18	19	17	58	36	94

4.14 Vehicle Safety

Table 4.99: During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
0 times	99.8	98.7	98.7	95.3	92.7	99.2	94.2	97.2	
1 time	0.0	0.0	0.4	1.6	2.3	0.2	1.9	0.9	
2 or 3 times	0.0	0.0	0.5	0.8	2.0	0.2	1.3	0.7	
4 or 5 times	0.0	0.6	0.2	0.4	0.0	0.2	0.2	0.2	
6 or more times	0.2	0.6	0.2	1.8	3.0	0.2	2.4	1.1	
N of Valid	592	159	548	492	397	1299	889	2188	
N of Miss	23	12	30	22	17	65	39	104	

Table 4.100: During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
0 times	93.6	90.7	90.0	89.9	87.8	91.7	88.9	90.6	
1 time	4.4	3.7	5.1	2.8	4.5	4.6	3.6	4.2	
2 or 3 times	1.3	3.7	2.9	4.5	3.2	2.3	3.9	3.0	
4 or 5 times	0.2	0.0	1.1	0.6	1.0	0.5	0.8	0.6	
6 or more times	0.5	1.9	0.9	2.2	3.5	0.8	2.8	1.6	
N of Valid	593	161	549	494	400	1303	894	2197	
N of Miss	22	10	29	20	14	61	34	95	

Table 4.101: How often do you wear a seatbelt when driving a car?












RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	1.9	3.7	3.6	2.4	3.5	2.9	2.9	2.9	
Seldom	0.2	0.6	0.7	0.6	2.5	0.5	1.5	0.9	
Sometimes	1.0	3.7	2.7	4.1	3.2	2.1	3.7	2.7	
Most of the time	1.9	1.2	2.5	5.5	6.7	2.1	6.0	3.7	
Always	7.4	6.2	10.1	55.7	71.3	8.4	62.7	30.5	
I don't drive	87.6	84.6	80.3	31.7	12.7	84.1	23.2	59.3	
N of Valid	582	162	553	492	401	1297	893	2190	
N of Miss	33	9	25	22	13	67	35	102	

Table 4.102: How often do you wear a seatbelt when riding in a car driven by someone else?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	1.4	5.0	3.1	4.3	5.5	2.5	4.8	3.5	
Seldom	1.5	3.8	4.3	3.0	2.5	3.0	2.8	2.9	
Sometimes	5.1	8.8	9.9	9.6	10.5	7.6	10.0	8.6	
Most of the time	16.7	19.5	20.4	19.3	21.4	18.6	20.3	19.3	
Always	75.3	62.9	62.3	63.8	60.1	68.3	62.2	65.8	
N of Valid	588	159	555	492	401	1302	893	2195	
N of Miss	27	12	23	22	13	62	35	97	

4.15 While At School Have You...

Table 4.103: While at school have you carried a handgun?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	98.7	96.9	98.2	97.0	97.5	98.2	97.2	97.8	
One time	0.7	0.6	0.5	0.4	0.7	0.6	0.6	0.6	
2-5 times	0.5	0.6	0.4	0.6	0.5	0.5	0.6	0.5	
6 or more times	0.2	1.9	0.9	2.0	1.2	0.7	1.7	1.1	
N of Valid	597	159	557	493	404	1313	897	2210	
N of Miss	18	12	21	21	10	51	31	82	

Table 4.104: While at school have you carried a knife, club or other weapon?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	97.2	93.7	92.6	92.5	90.6	94.8	91.6	93.5	
One time	1.5	1.3	4.5	2.2	2.0	2.7	2.1	2.5	
2-5 times	0.2	1.3	1.3	1.2	2.0	0.8	1.6	1.1	
6 or more times	1.2	3.8	1.6	4.0	5.5	1.7	4.7	2.9	
N of Valid	599	158	556	494	403	1313	897	2210	
N of Miss	16	13	22	20	11	51	31	82	

Table 4.105: While at school have you threatened a student with a handgun, knife or club?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	99.5	96.8	98.6	97.2	96.5	98.8	96.9	98.0	
One time	0.3	1.3	0.5	0.6	1.2	0.5	0.9	0.7	
2-5 times	0.0	1.3	0.2	0.2	0.7	0.2	0.4	0.3	
6 or more times	0.2	0.6	0.7	2.0	1.5	0.5	1.8	1.0	
N of Valid	594	156	557	492	402	1307	894	2201	
N of Miss	21	15	21	22	12	57	34	91	

Table 4.106: While at school have you threatened to hurt a student by hitting, slapping or kicking?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	83.5	68.2	67.8	75.6	81.9	75.0	78.4	76.4
One time	9.1	8.3	13.4	8.1	5.5	10.8	6.9	9.2
2-5 times	5.2	12.7	11.0	7.7	6.0	8.6	6.9	7.9
6 or more times	2.2	10.8	7.8	8.6	6.7	5.6	7.7	6.5
N of Valid	594	157	553	491	403	1304	894	2198
N of Miss	21	14	25	23	11	60	34	94

Table 4.107: While at school have you hurt a student by using a handgun, knife or club?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	99.5	98.7	99.5	97.6	97.8	99.4	97.7	98.7
One time	0.3	0.0	0.2	0.2	0.5	0.2	0.3	0.3
2-5 times	0.2	0.6	0.2	0.8	0.5	0.2	0.7	0.4
6 or more times	0.0	0.6	0.2	1.4	1.2	0.2	1.3	0.6
N of Valid	589	159	556	491	403	1304	894	2198
N of Miss	26	12	22	23	11	60	34	94

Table 4.108: While at school have you hurt a student by hitting, slapping or kicking?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	86.1	77.2	76.0	82.1	90.0	80.7	85.7	82.7
One time	6.6	10.1	11.6	8.1	3.7	9.2	6.2	7.9
2-5 times	5.8	7.0	8.0	5.7	3.2	6.9	4.6	5.9
6 or more times	1.5	5.7	4.4	4.1	3.0	3.2	3.6	3.4
N of Valid	588	158	551	491	402	1297	893	2190
N of Miss	27	13	27	23	12	67	35	102

Table 4.109: While at school have you been threatened with a handgun, knife or club by a student?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	93.2	92.3	90.9	91.9	94.2	92.1	93.0	92.4
One time	4.5	3.9	5.1	4.3	2.0	4.6	3.2	4.1
2-5 times	1.2	2.6	2.9	2.4	1.2	2.1	1.9	2.0
6 or more times	1.2	1.3	1.1	1.4	2.5	1.2	1.9	1.5
N of Valid	584	155	552	494	400	1291	894	2185
N of Miss	31	16	26	20	14	73	34	107

Table 4.110: While at school have you had a student threaten to hit, slap or kick you?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	63.9	58.0	60.2	74.8	83.3	61.6	78.6	68.6
One time	16.5	17.2	15.3	8.3	5.7	16.1	7.2	12.4
2-5 times	12.0	15.3	14.4	9.8	7.2	13.4	8.6	11.5
6 or more times	7.6	9.6	10.0	7.1	3.7	8.9	5.6	7.5
N of Valid	582	157	548	492	402	1287	894	2181
N of Miss	33	14	30	22	12	77	34	111

Table 4.111: While at school have you been afraid a student may hurt you?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	71.2	71.6	74.9	82.3	86.5	72.8	84.2	77.5
One time	14.6	14.8	11.6	6.7	6.3	13.3	6.5	10.6
2-5 times	7.2	7.1	8.0	5.7	2.5	7.5	4.3	6.2
6 or more times	7.0	6.5	5.5	5.3	4.8	6.3	5.1	5.8
N of Valid	584	155	550	492	399	1289	891	2180
N of Miss	31	16	28	22	15	75	37	112

Table 4.112: While at school have you been hurt by a student using a handgun, knife or club?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	99.5	98.7	98.9	96.7	97.5	99.1	97.1	98.3
One time	0.0	1.3	0.9	1.2	0.5	0.5	0.9	0.7
2-5 times	0.3	0.0	0.0	1.2	0.2	0.2	0.8	0.4
6 or more times	0.2	0.0	0.2	0.8	1.8	0.2	1.2	0.6
N of Valid	577	157	551	492	400	1285	892	2177
N of Miss	38	14	27	22	14	79	36	115

Table 4.113: While at school have you been hurt by a student who hit, slapped or kicked you?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	75.6	78.6	78.6	86.3	90.9	77.3	88.4	81.8
One time	13.6	11.0	10.6	7.3	4.8	12.0	6.2	9.6
2-5 times	6.9	5.2	7.7	4.3	2.3	7.0	3.4	5.5
6 or more times	3.8	5.2	3.1	2.0	2.0	3.7	2.0	3.0
N of Valid	579	154	547	490	397	1280	887	2167
N of Miss	36	17	31	24	17	84	41	125

4.16 In My School, I Feel Safe...

Table 4.114: In my school, I feel safe in the classroom.

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	3.7	9.9	5.6	11.9	11.2	5.2	11.6	7.8
Seldom	2.9	4.6	5.6	8.3	6.0	4.2	7.2	5.5
Sometimes	7.6	18.4	13.7	16.6	18.9	11.5	17.6	14.0
Often	15.4	27.0	26.9	28.9	30.3	21.6	29.5	24.9
A Lot	70.4	40.1	48.2	34.2	33.7	57.4	34.0	47.8
N of Valid	592	152	554	494	403	1298	897	2195
N of Miss	23	19	24	20	11	66	31	97

Table 4.115: In my school, I feel safe in the cafeteria.

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	5.3	11.9	8.3	16.2	13.4	7.4	14.9	10.5
Seldom	5.2	11.3	8.0	11.7	11.9	7.1	11.8	9.0
Sometimes	11.5	15.2	16.8	21.0	22.1	14.3	21.5	17.2
Often	21.9	28.5	25.5	26.5	26.3	24.2	26.4	25.1
A Lot	56.1	33.1	41.3	24.6	26.3	47.0	25.4	38.1
N of Valid	581	151	552	495	403	1284	898	2182
N of Miss	34	20	26	19	11	80	30	110

Table 4.116: In my school, I feel safe in the halls.

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	9.2	17.6	11.3	17.8	14.2	11.1	16.2	13.2
Seldom	10.5	9.8	8.9	13.9	10.7	9.8	12.5	10.9
Sometimes	15.6	20.9	21.8	21.0	26.4	18.9	23.4	20.7
Often	17.7	19.6	22.4	22.6	23.4	19.9	23.0	21.2
A Lot	47.0	32.0	35.6	24.6	25.2	40.4	24.9	34.0
N of Valid	589	153	550	495	401	1292	896	2188
N of Miss	26	18	28	19	13	72	32	104

Table 4.117: In my school, I feel safe in the bathroom.

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	10.9	15.1	14.3	18.4	16.5	12.9	17.5	14.8	
Seldom	9.7	9.2	7.6	14.7	10.8	8.7	13.0	10.5	
Sometimes	14.7	14.5	14.7	18.2	22.5	14.7	20.1	16.9	
Often	16.2	27.0	26.1	21.8	24.8	21.7	23.1	22.3	
A Lot	48.5	34.2	37.3	26.9	25.5	42.0	26.3	35.5	
N of Valid	579	152	552	495	400	1283	895	2178	
N of Miss	36	19	26	19	14	81	33	114	

Table 4.118: In my school, I feel safe in the gym.

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	4.7	13.9	9.5	14.4	13.2	7.9	13.9	10.4	
Seldom	4.9	7.3	8.1	11.4	9.2	6.5	10.4	8.1	
Sometimes	7.5	17.9	15.2	19.3	19.2	12.0	19.3	15.0	
Often	17.1	23.2	21.4	25.6	27.2	19.7	26.3	22.4	
A Lot	65.9	37.7	45.8	29.4	31.0	53.9	30.1	44.1	
N of Valid	574	151	546	493	400	1271	893	2164	
N of Miss	41	20	32	21	14	93	35	128	

Table 4.119: In my school, I feel safe on the school bus.

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	18.1	18.4	15.6	17.5	20.7	17.1	18.9	17.8	
Seldom	8.9	9.9	11.6	12.6	9.1	10.2	11.0	10.5	
Sometimes	16.8	17.1	15.2	17.9	22.4	16.2	19.9	17.7	
Often	16.1	19.1	23.1	22.6	20.2	19.5	21.5	20.3	
A Lot	40.1	35.5	34.5	29.4	27.7	37.1	28.7	33.6	
N of Valid	564	152	533	486	397	1249	883	2132	
N of Miss	51	19	45	28	17	115	45	160	

Table 4.120: In my school, I feel safe at school events.






RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	8.9	16.1	9.3	15.4	15.2	9.9	15.3	12.1	
Seldom	7.6	4.0	7.0	9.2	8.0	6.9	8.7	7.6	
Sometimes	11.0	17.4	15.9	17.8	20.5	13.8	19.0	16.0	
Often	16.7	18.8	24.4	26.8	27.0	20.2	26.9	23.0	
A Lot	55.8	43.6	43.3	30.7	29.2	49.1	30.1	41.3	
N of Valid	582	149	540	488	400	1271	888	2159	
N of Miss	33	22	38	26	14	93	40	133	

Table 4.121: In my school, I feel safe on the playground.











RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	16.5	16.8	15.5	22.4	20.8	16.1	21.7	18.4	
Seldom	7.5	9.4	7.3	7.6	8.1	7.6	7.8	7.7	
Sometimes	10.3	12.8	12.4	15.6	17.3	11.5	16.4	13.5	
Often	17.4	22.8	21.9	22.6	21.8	20.0	22.3	20.9	
A Lot	48.3	38.3	42.9	31.7	32.0	44.8	31.8	39.5	
N of Valid	563	149	524	473	394	1236	867	2103	
N of Miss	52	22	54	41	20	128	61	189	

Table 4.122: In my school, I feel safe in the parking lot.

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	23.5	22.7	16.1	19.1	17.0	20.3	18.1	19.4	
Seldom	11.6	7.3	9.1	10.6	9.2	10.0	10.0	10.0	
Sometimes	14.5	18.7	16.6	19.7	23.7	15.9	21.5	18.2	
Often	16.3	17.3	20.5	23.4	21.7	18.2	22.6	20.0	
A Lot	34.1	34.0	37.7	27.2	28.4	35.6	27.8	32.4	
N of Valid	578	150	541	492	401	1269	893	2162	
N of Miss	37	21	37	22	13	95	35	130	

4.17 Frequency of Use

The last section of tables presents the frequency of drug use *How Often Do You Use* data with the categories *collapsed* as follows:

- Daily Use – Every Day
- Weekly Use – Once/Week + 3 Times/Week + Every Day
- Annual Use – Once/Year + 6 Times/Year + Once/Month +
Twice/Month + Once/Week + 3 Times/Week + Every Day

The Monthly Use category in previous reports has been changed to Past 30 Day Use. Due to recent changes in federal reporting requirements, Past 30 Day use for tobacco, alcohol, marijuana and prescription drugs must be calculated from the section headed *During the Past 30 Days*:. The other drugs are calculated as before by combining the categories of Once/Month thru Daily together of the *How Often Do You Use* data.

An additional drug use category has been created by combining the responses from marijuana, cocaine, inhalants, hallucinogens, heroin, steroids, ecstasy, meth, prescription drugs and over-the-counter drugs together to create an illicit drug use variable. This category represents any illicit drug use regardless of the type of drug.

Table 4.123: Past 30 day use cigarettes?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Yes	1.8	6.5	6.7	13.2	17.6	4.5	15.2	8.8	
No	98.2	93.5	93.3	86.8	82.4	95.5	84.8	91.2	
N of Valid	607	169	570	506	410	1346	916	2262	
N of Miss	8	2	8	8	4	18	12	30	

Table 4.124: Past 30 day use e-cigarettes?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Yes	1.8	5.9	7.7	14.2	19.6	4.8	16.6	9.6	
No	98.2	94.1	92.3	85.8	80.4	95.2	83.4	90.4	
N of Valid	606	169	571	506	409	1346	915	2261	
N of Miss	9	2	7	8	5	18	13	31	

Table 4.125: Past 30 day use alcohol?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Yes	2.7	8.3	10.6	23.5	34.8	6.7	28.5	15.6	
No	97.3	91.7	89.4	76.5	65.2	93.3	71.5	84.4	
N of Valid	601	169	567	503	408	1337	911	2248	
N of Miss	14	2	11	11	6	27	17	44	

Table 4.126: Past 30 day use marijuana?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Yes	1.2	5.4	7.4	14.9	25.5	4.3	19.6	10.5	
No	98.8	94.6	92.6	85.1	74.5	95.7	80.4	89.5	
N of Valid	604	168	570	505	408	1342	913	2255	
N of Miss	11	3	8	9	6	22	15	37	

Table 4.127: Past 30 day use cocaine?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.2	2.4	0.5	3.2	2.2	0.6	2.7	1.5 
No	99.8	97.6	99.5	96.8	97.8	99.4	97.3	98.5 
N of Valid	599	166	570	504	409	1335	913	2248
N of Miss	16	5	8	10	5	29	15	44

Table 4.128: Past 30 day use inhalants?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.2	4.2	1.4	3.6	3.0	1.7	3.3	2.3 
No	98.8	95.8	98.6	96.4	97.0	98.3	96.7	97.7 
N of Valid	597	168	565	502	406	1330	908	2238
N of Miss	18	3	13	12	8	34	20	54

Table 4.129: Past 30 day use hallucinogens?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.2	0.6	0.5	3.0	3.2	0.4	3.1	1.5 
No	99.8	99.4	99.5	97.0	96.8	99.6	96.9	98.5 
N of Valid	603	166	566	507	408	1335	915	2250
N of Miss	12	5	12	7	6	29	13	42

Table 4.130: Past 30 day use heroin?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.2	1.8	0.5	2.8	2.2	0.5	2.5	1.3 
No	99.8	98.2	99.5	97.2	97.8	99.5	97.5	98.7 
N of Valid	598	167	563	504	409	1328	913	2241
N of Miss	17	4	15	10	5	36	15	51

Table 4.131: Past 30 day use steroids?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.7	1.8	0.2	3.6	2.7	0.6	3.2	1.7 
No	99.3	98.2	99.8	96.4	97.3	99.4	96.8	98.3 
N of Valid	597	167	561	506	405	1325	911	2236
N of Miss	18	4	17	8	9	39	17	56

Table 4.132: Past 30 day use ecstasy?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.2	0.6	0.2	3.0	2.5	0.2	2.7	1.2 
No	99.8	99.4	99.8	97.0	97.5	99.8	97.3	98.8 
N of Valid	598	166	566	505	408	1330	913	2243
N of Miss	17	5	12	9	6	34	15	49

Table 4.133: Past 30 day use meth?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.2	1.8	0.5	1.8	2.2	0.5	2.0	1.1 
No	99.8	98.2	99.5	98.2	97.8	99.5	98.0	98.9 
N of Valid	595	168	564	502	406	1327	908	2235
N of Miss	20	3	14	12	8	37	20	57

Table 4.134: Past 30 day use prescription drugs?



RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.8	3.6	3.7	6.1	5.4	2.8	5.8	4.0 
No	98.2	96.4	96.3	93.9	94.6	97.2	94.2	96.0 
N of Valid	599	168	568	507	405	1335	912	2247
N of Miss	16	3	10	7	9	29	16	45

Table 4.135: Past 30 day use over-the-counter drugs?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.3	2.4	1.8	5.0	4.2	1.6	4.6	2.8
No	98.7	97.6	98.2	95.0	95.8	98.4	95.4	97.2
N of Valid	601	168	565	505	409	1334	914	2248
N of Miss	14	3	13	9	5	30	14	44

Table 4.136: Past 30 day use any illicit drug?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	2.6	10.0	9.7	18.5	26.6	6.5	22.1	12.8
No	97.4	90.0	90.3	81.5	73.4	93.5	77.9	87.2
N of Valid	614	170	576	509	413	1360	922	2282
N of Miss	1	1	2	5	1	4	6	10

Table 4.137: Frequency of use of tobacco?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Daily	0.2	1.8	2.1	7.2	10.8	1.2	8.8	4.3	
Weekly	0.3	3.0	4.9	11.7	16.9	2.6	14.0	7.2	
Annual	2.7	9.5	12.1	21.7	29.8	7.5	25.3	14.7	
N of Valid	603	169	569	503	409	1341	912	2253	
N of Miss	12	2	9	11	5	23	16	39	

Table 4.138: Frequency of use of alcohol?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Daily	0.3	1.8	0.0	1.6	1.5	0.4	1.5	0.8	
Weekly	0.5	2.4	1.8	7.6	9.8	1.3	8.6	4.2	
Annual	3.0	15.5	19.5	42.4	57.2	11.6	49.1	26.8	
N of Valid	598	168	570	502	407	1336	909	2245	
N of Miss	17	3	8	12	7	28	19	47	

Table 4.139: Frequency of use of marijuana?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Daily	0.3	1.8	1.2	4.6	8.8	0.9	6.5	3.2	
Weekly	0.5	3.0	3.0	9.3	16.2	1.9	12.4	6.1	
Annual	1.2	8.9	11.3	23.1	34.2	6.4	28.0	15.2	
N of Valid	603	168	566	503	407	1337	910	2247	
N of Miss	12	3	12	11	7	27	18	45	

Table 4.140: Frequency of use of cocaine?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Daily	0.2	0.6	0.2	1.6	2.0	0.2	1.8	0.8	
Weekly	0.2	1.2	0.4	2.2	2.0	0.4	2.1	1.1	
Annual	0.3	2.4	1.1	5.4	5.4	0.9	5.4	2.7	
N of Valid	599	166	570	504	409	1335	913	2248	
N of Miss	16	5	8	10	5	29	15	44	

Table 4.141: Frequency of use of inhalants?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.2	0.0	0.0	1.8	2.0	0.1	1.9	0.8 
Weekly	0.3	1.2	0.5	2.4	2.2	0.5	2.3	1.2 
Annual	0.8	4.2	2.7	4.4	2.9	2.0	3.7	2.7 
N of Valid	601	167	566	503	408	1334	911	2245
N of Miss	14	4	12	11	6	30	17	47

Table 4.142: Frequency of use of hallucinogens?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.2	0.0	0.2	2.2	2.0	0.1	2.1	0.9 
Weekly	0.2	0.6	0.5	2.6	2.2	0.4	2.4	1.2 
Annual	0.3	2.4	1.8	6.5	5.6	1.2	6.1	3.2 
N of Valid	603	166	566	507	408	1335	915	2250
N of Miss	12	5	12	7	6	29	13	42

Table 4.143: Frequency of use of heroin?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.2	0.0	0.2	2.0	2.0	0.2	2.0	0.9 
Weekly	0.2	0.0	0.2	2.4	2.2	0.2	2.3	1.0 
Annual	0.2	1.8	0.7	4.0	3.2	0.6	3.6	1.8 
N of Valid	598	167	563	504	409	1328	913	2241
N of Miss	17	4	15	10	5	36	15	51

Table 4.144: Frequency of use of steroids?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.3	0.0	0.0	2.4	2.0	0.2	2.2	1.0 
Weekly	0.7	0.6	0.2	2.8	2.2	0.5	2.5	1.3 
Annual	1.5	3.0	2.0	4.7	4.0	1.9	4.4	2.9 
N of Valid	597	167	561	506	405	1325	911	2236
N of Miss	18	4	17	8	9	39	17	56

Table 4.145: Frequency of use of ecstasy?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.2	0.0	0.0	1.6	2.0	0.1	1.8	0.8 
Weekly	0.2	0.6	0.2	2.0	2.2	0.2	2.1	1.0 
Annual	0.3	1.8	0.7	5.7	4.4	0.7	5.1	2.5 
N of Valid	598	166	566	505	408	1330	913	2243
N of Miss	17	5	12	9	6	34	15	49

Table 4.146: Frequency of use of meth?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.2	1.2	0.2	1.4	1.7	0.3	1.5	0.8 
Weekly	0.2	1.8	0.5	1.8	2.0	0.5	1.9	1.1 
Annual	0.3	1.8	0.9	3.0	3.0	0.8	3.0	1.7 
N of Valid	595	168	564	502	406	1327	908	2235
N of Miss	20	3	14	12	8	37	20	57

Table 4.147: Frequency of use of prescription drugs?




RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.2	0.0	0.0	1.8	1.7	0.1	1.8	0.8 
Weekly	0.2	0.6	0.4	2.6	2.5	0.3	2.5	1.2 
Annual	0.3	3.6	3.0	7.6	8.8	1.9	8.1	4.4 
N of Valid	595	167	560	503	408	1322	911	2233
N of Miss	20	4	18	11	6	42	17	59

Table 4.148: Frequency of use of over-the-counter drugs?







RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.2	0.0	0.2	1.8	1.7	0.2	1.8	0.8 
Weekly	0.3	0.6	0.4	3.4	2.0	0.4	2.8	1.3 
Annual	0.7	3.0	3.2	7.3	4.2	2.0	5.9	3.6 
N of Valid	594	165	562	504	405	1321	909	2230
N of Miss	21	6	16	10	9	43	19	62

Table 4.149: Frequency of use of any illicit drug?

RESPONSE	6th	7th	8th	10th	12th	6-8th	9-12th	TOTAL	
Daily	0.5	3.0	1.4	6.5	9.5	1.2	7.9	3.9	
Weekly	1.2	5.3	3.5	11.4	17.1	2.7	14.0	7.2	
Annual	3.1	13.0	15.4	24.9	35.1	9.6	29.4	17.6	
N of Valid	607	169	570	507	410	1346	917	2263	
N of Miss	8	2	8	7	4	18	11	29	

Chapter 5

Narrative Report

5.1 Introduction

Tobacco, alcohol, drug use and violence continues to be a persistent problem facing the youth of America. The use of mind-altering chemicals has proven to be especially harmful to the adolescent growth and development process. Psychoactive drugs interfere with physical, social, and emotional growth during the critical years of adolescent development.

An adolescent who uses intoxicants is not only at high risk of becoming drug dependent but is also at an increased risk of dropping out of school, getting involved in crime, attempting suicide, or becoming involved in an assortment of unacceptable behaviors.

The prevention of adolescent drug and alcohol use, bullying and related behaviors is most likely to occur when parents, teachers, faith leaders, other individuals and community organizations, who are part of the child's friendship circle...

- are well informed of the harmful effects of drugs,
- understand potential danger from threatening behaviors,
- recognize behavioral changes that accompany drug use,

- and understand how drug use and violence is encouraged and accepted in the social world of the child.

Another key to successful prevention programming is the direct involvement of youth in planning and implementing programs.

This report will help parents, school personnel, students, and other "youth care givers" understand the extent of drug use and threatening (bullying) behaviors in your community.

Your questions concerning this report or information on other reports and services of **Pride Surveys** may be obtained by calling the **Pride Surveys** office at 1-800-279-6361.

5.1.1 The Pride Surveys Questionnaire

As with any type of meaningful survey, it is important that the data collected are of high quality and utility. The **Pride Surveys Questionnaire** was developed to provide accurate, reliable and useful information about students through their reported behaviors, perceptions and living environments. Questionnaire forms and administration procedures have undergone extensive reviews by independent evaluators over the years. The survey provides users

with data of high quality and practical application. For more technical information about the development of the questionnaire, see the *Pride Technical Report: The Pride Questionnaire for Grades 6-12 Developmental Study*. These studies are available on the Pride Surveys website at www.pridesurveys.com.

5.1.2 The Report

This report was prepared to be used as part of a community-wide prevention program. For maximum use of your school drug and violence survey, we suggest that you review each section carefully, share the information with school officials, teachers, students and parents, and prepare a press release to inform your community of the results.

This narrative report contains five sections, including the introductory Section 5.1. Section 5.2 contains information on *Gateway Drugs* (tobacco, alcohol, and marijuana). Section 5.3 contains information on *Other Illicit Drugs* (cocaine, uppers, downers, inhalants, hallucinogens, heroin and steroids). The following information on each drug category has been selected for analysis in this report:

- perceived risk of drug use,
- frequency of drug use reported by students,
- when students reported using drugs,
- where students reported using drugs,
- friends' use of drugs,
- age of onset of use of drugs,
- availability of drugs as reported by students.

Section 5.4 contains suggestions for community awareness activities utilizing the media and presentations of survey findings to various audiences.

Note that all statistics compiled from your survey results are highlighted in **bold**.

It is important that your school survey be viewed as part of an ongoing process that provides needed information about the prevalence and patterns of tobacco, alcohol and other drug use by students in your community. By using the **Pride Surveys** in your assessment process, you can be confident of high quality, consistent, and reliable information to assist you in your drug prevention efforts. For additional assistance with questionnaire data, call the Pride Surveys Office at 1-800-279-6361. For additional information about the health impact of drugs visit the Pride Surveys website at www.pridesurveys.com.

5.2 Gateway Drugs

The *gateway drugs* are defined in this report as tobacco, alcohol, and marijuana. In most states, alcohol and tobacco products are illegal when used by minors, but are legal when used by adults. Nevertheless, they are generally easy to obtain and are widely used by students. Use of alcohol and cigarettes at early ages has been linked to later use of illicit drugs, thus the term *gateway drugs*. Marijuana is the illicit drug most widely used by the adolescent population. Although marijuana is itself a dangerous illicit drug, it is also a strong predictor for use of other addictive drugs. In this section, harmful effects, prevalence, and patterns of tobacco products (cigarettes, smokeless tobacco, and cigars), alcohol (beer, wine coolers, and liquor), and marijuana use are reported.

5.2.1 Tobacco

Harmful Effects of Tobacco Products

The use of tobacco products was not always considered to be drug use. However, cigarette smoke contains more than 1,200 chemicals, none of which are beneficial to man. When cigarette smoke is absorbed into the body, it decreases the oxygen-carrying capacity of the blood and increases the clotting rate. This reaction, combined with hardening of the arteries associated with smoking, can cause a heart attack. Using tobacco products is a major cause of emphysema, chronic bronchitis, lung cancer, heart disease and cancer of the mouth.

Research indicates that mothers who smoke during pregnancy may damage the unborn child. Women who take birth control pills should not smoke because of increased risk of blood clots, stroke, heart attack and liver tumors.

It is important that students know the health consequences of tobacco use, but they may be influenced more by the social stigma and the unattractive appearance using tobacco can cause. For example, young people may choose not to smoke because cigarette smoke makes their hair smell bad, turns their teeth and fingers yellow, and causes bad breath. These are important considerations for adolescents who are usually concerned about their appearance.

Frequency and Effects of Tobacco Use

While millions of people in this country have quit smoking cigarettes, there are still millions that continue to smoke despite warnings of detrimental health effects. It is important to examine the use of cigarettes by students, for they are engaging in an unhealthy practice. Also, students who start smoking tobacco early are more prone to try other drugs, particularly marijuana, than students who do not use tobacco products.

Table 5.1: 30-Day Use of Tobacco

DRUG	6th	7th	8th	9th	10th	11th	12th
Tobacco	0.5	5.3	6.9	0.0	14.1	0.0	20.8

Additional information about frequency of cigarette smoking by your students may be found in the Percentage Tables chapter of your Pride report.

Locations and Times of Tobacco Use

A knowledge of the patterns of adolescent tobacco use is important when planning and implementing prevention programs. Two of the most important questions that were asked on the *Pride Surveys* were *Where* and *When* various drugs are used. Students were asked to respond to various locations and times they used tobacco products. Responses to *Where* students used gateway drugs included *At Home, At School, In a Car, Friend's House and Other* places in the community. Time of use responses consisted of *Before School, During School, After School, Week Nights and Weekends*. This information is important in providing insight into the use patterns of tobacco products by your students.

Although there was some variation, students who smoked cigarettes reported smoking at most locations and times. This finding may be explained by the highly addictive nature of the nicotine in tobacco, the non-intoxicating effects of smoking tobacco (as opposed to the intoxicating effects of alcohol), and adult tolerance for possession and use of tobacco products by minors. However, as explained earlier, cigarette smoking does present health hazards for the users and for those who share a common environment.

Table 5.2: Reported Location of Tobacco Use For Your Students

LOCATION	6th	7th	8th	9th	10th	11th	12th
At Home	0.5	5.3	6.6	0.0	9.9	0.0	12.8
At School	0.0	0.6	0.5	0.0	4.3	0.0	4.3
In a Car	0.2	0.6	1.9	0.0	5.8	0.0	13.8
Friend's House	1.3	3.5	6.2	0.0	10.7	0.0	14.0
Other	0.8	2.3	4.5	0.0	7.4	0.0	10.9

Table 5.3: Reported Times of Tobacco Use For Your Students

TIME	6th	7th	8th	9th	10th	11th	12th
Before School	0.2	1.2	2.6	0.0	6.2	0.0	9.2
During School	0.0	0.6	0.9	0.0	4.5	0.0	4.6
After School	0.8	2.9	4.5	0.0	9.1	0.0	12.8
Week Night	0.7	1.8	3.8	0.0	6.0	0.0	13.0
Weekend	2.0	7.0	9.2	0.0	13.0	0.0	19.6

5.2.2 Alcohol

Harmful Effects of Alcohol

Alcohol is a central nervous system depressant, which relaxes the inhibiting and controlling mechanisms of the brain. The effects of drinking alcohol depend on the amount consumed, body size, food intake, age, genetic susceptibility, and tolerance. Alcohol is metabolized at the rate of about 1/2 ounce per hour, and coffee, tea, or cold showers will not speed up this process. The effects of drinking alcohol can range from mild intoxication, to mental confusion, to aggression, to respiratory depression and death. Repeated or chronic use of alcohol may cause damage to the liver, brain, stomach, skin, and other systems of the body.

The sources of alcohol most available to youth for consumption are beer,

wine or wine coolers, and various forms of liquor. It is important for youth and adults to understand that sources with lower percentages of alcohol, such as beer and wine coolers, are equally as capable of causing intoxication and dependency as liquor. However, there appears to be a progression of alcohol use that begins with beer or wine coolers and on to liquor. Drinking liquor produces higher levels of intoxication, probably due to its higher concentration of alcohol.

Since the human body builds a tolerance to alcohol, there is a potential for addiction for those who drink. This risk of addiction is greater for the developing adolescent than for mature adults. Junior and senior high students who use alcohol run the risk of delaying or retarding their normal physical, mental and social development. Drinking and driving is a popular practice among teenagers, and alcohol-related accidents are a major cause of death among 15- to 19-year-olds.

Frequency and Effects of Alcohol Use


Although drinking alcoholic beverages is illegal for minors, beer, wine coolers, and liquor are popular intoxicants for students. It should be kept in mind that these data are from 12- to 18-year-old students. Not only are they minors under the law, and therefore violating the law when using alcohol, but they are also young adolescents who are abusing alcohol at least once a month or more often.

Table 5.4: 30-Day Use of Alcohol

DRUG	6th	7th	8th	9th	10th	11th	12th
Alcohol	2.7	8.3	10.6	0.0	23.5	0.0	34.8


YOUR NOTES:

30-Day Use of Alcohol



Source: Pride Surveys

Location of Any Alcohol Use




Source: Pride Surveys

Locations and Times of Alcohol Use

Drinking alcoholic beverages can produce a mind-altered or intoxicated state. Given the impairment in thinking and judgement produced by alcohol intoxication, time of use is an important consideration for targeting prevention activities. The following figures contain percentage data for the times of alcohol use as reported by junior and senior high students in your community.

It is important to note that past research indicates that *At School* is the least popular location for use and *During School* is the least popular time of use. *Weekends* tends to be the most popular time of use and *At Home* tends to be the most popular with younger students while *Friend's House* and *Other* tends to be the most popular with older students. These data strongly support the concept of parent and community involvement in reducing alcohol use by youth.

Time of Any Alcohol Use



Source: Pride Surveys

Availability of Tobacco Products & Alcohol

The question of availability of tobacco products has been included on the ***Pride Surveys***.

Students were asked to report how easy it was for them to get alcohol, specifically in the forms of beer, coolers, breezers, etc. and liquor. Students could respond that they *Cannot Get* alcohol, or that alcohol was *Very Difficult*, *Fairly Difficult*, *Fairly Easy*, or *Very Easy* to get. The following table provides the percentages of students who responded to the *Fairly Easy* or *Very Easy* categories for obtaining tobacco products as well as beer, wine coolers, liquor, and marijuana.

Use of tobacco products and alcohol by minors is illegal, yet they are readily available to students. Popular culture condones and often encourages the use of tobacco and alcohol. While it is important to discourage the illegal use of tobacco and alcohol through formal education and community prevention programs, it is also important to reduce the ease by which students may obtain tobacco and alcohol products, whether from home or a neighbor’s home, or from merchants that sell alcoholic beverages to minors. Cooperation of parents, students, and educators with local, state, and federal law enforcement agencies should play an important role in reducing the availability of gateway drugs to students.

Table 5.5: Pct of Students Reporting *Fairly Easy* or *Very Easy* to Get Tobacco and Alcohol

DRUG	6th	7th	8th	9th	10th	11th	12th
Tobacco	14.1	30.7	31.9	0.0	58.3	0.0	71.8
Alcohol	14.1	27.5	28.4	0.0	53.4	0.0	62.3

YOUR NOTES:

5.2.3 Marijuana

Harmful Effects of Marijuana

Marijuana is a crude drug made from the *cannabis sativa* plant, and it contains more than 400 known chemicals. Seventy or more of these chemicals, called "cannabinoids," are found only in the cannabis plant, and in recent years we have learned much about their effect on the human body. One of the cannabinoids, THC (delta-9-tetrahydrocannabinol), is the major mind-altering chemical in marijuana.

Street names for marijuana include *pot*, *grass*, and *weed*. Smoking pot became popular with college age students during the late 60's and early 70's. By the middle 70's the age of users had dropped to junior high and even elementary school levels.

The marijuana used in the 1960's was often quite low in THC content, ranging from .25 to 1 percent, and few health hazards were documented during that period. In the early 1970's, the Mexican marijuana coming into the country averaged 1 to 2 percent THC content. After 1975, Colombian marijuana became more prominent, and it ranged from 3 to 6 percent in THC content. Presently, we have marijuana (a variety called *Sinsemilla*) being grown in the U.S. with THC levels of more than 24 percent. Because of the stronger, more potent varieties now available, the intoxicating and health effects of smoking marijuana have increased dramatically. More students are receiving treatment for marijuana addiction than for alcohol addiction.


The THC and other cannabinoids are fat-soluble chemicals and accumulate in the fatty linings of cells. They are metabolized very slowly, and may stay in the body four to six weeks. Thus, the students who smoke pot *only on weekends* will gradually accumulate THC content in their body cells. This build-up of THC is unlike the effect of alcohol, which is water-soluble and metabolized out of the body much more quickly (usually within 24 hours).

Accumulation of THC in the body affects those areas where there is an

accumulation of fatty cells, such as the brain, heart, lungs and reproductive systems. The effect of this drug is even more severe on developing adolescents in junior and senior high school. Not surprisingly, recent research indicates that regular marijuana use reduces the mental efficiency of students and may increase their susceptibility to infection and disease, by interfering with their immune system.

Production and use of marijuana is illegal in the United States and most other countries around the world. The following table contains data on your students' use of marijuana at least once a month or more often.

Past 30 Day Use of Marijuana




Source: Pride Surveys

Location and Time of Marijuana Use


Location and time of marijuana use followed a similar pattern to that of alcohol use, although the percentage of students who reported smoking marijuana was considerably less than the percentage who reported drinking alcohol.

Location of Marijuana Use



Source: Pride Surveys

Time of Any Marijuana Use



Source: Pride Surveys


Friends' Use & Age of Onset of Use of Marijuana

Often, marijuana and other illicit drug use will occur within a friendship circle and those who report use among friends are more likely to use. Past analysis shows that marijuana is typically the most commonly used of illicit drugs. The following graphs present percentage data on friends' use of your students.

It is important to remember that early use is an indicator of increased risk for addiction. Figure 5-8 presents data on age of onset of use of marijuana for your students.

YOUR NOTES:

Friends' Use of Marijuana



Source: Pride Surveys

5.3 Other Illicit Drugs

As stated in the previous section, marijuana is the illicit drug most used by junior and senior high students. However, many marijuana users become multiple drug users. Knowledge of the nature and extent of such illicit drug use is very important in gaining a perspective on the overall adolescent drug problem in your community. It will also provide you with information on the percentages of your students who are drug dependent or who are at high risk of becoming drug dependent and in need of professional help.

The other illicit drug categories included in *The Pride Surveys Questionnaire for Grades 6-12* are as follows:

Cocaine	including crack
Inhalants	such as glue or solvents
Hallucinogens	including LSD and PCP
Heroin	opiates
Steroids	
Ecstasy	MDMA
Meth	ice, crank, etc.
Prescription drugs	
Over-the-counter drugs	

Additional information on all categories of drugs obtained from your survey may be found in the tabular report.

5.4 The Media and Data Presentation

Your school-based survey results can be utilized in many ways to promote and support drug and alcohol abuse prevention in your community. The results of this survey should be made available to the public in a timely fashion. Therefore, Section 4 of this chapter is devoted to assisting you in utilizing your survey findings to make the community more aware of the extent and nature of adolescent alcohol and other drug use.

5.4.1 Community Awareness

Community awareness that a drug problem exists is important when mobilizing the various components of a community in a planned, systematic process to reduce alcohol and other drug use by youth. Unless the community is convinced that the problem is serious, real, and local – i.e., a threat to their children, families and friends – it is less likely that meaningful community involvement or support will occur. Community awareness involves informing as many people as possible of the extent and nature of the adolescent drug problem. Information collected by your survey of student drug use is very important in community awareness. It is also important for members of the community to understand the harmful nature of drug use. Both information about the harmful affects of drug use and the extent of local drug use is contained in Sections 2 and 3 of this chapter.

Two of the most effective means of conducting community awareness is through electronic and print media and through presentations to community groups such as parent and school groups, civic and business organizations, community coalitions and church groups. Section 4 is designed to assist you in these activities. Section 4.2. contains information about how you can work with the media in releasing your survey data and Section 4.3. contains information to assist you with presentations to various groups in your community. Of course, these are suggestions and you may want to change or modify the suggestions. For example, as you monitor the drug problem through multiple annual surveys, these data can be added to your press releases and

presentations.

5.4.2 The Media

What is generally referred to as *The Media* includes the traditional print media (such as, newspapers, magazines, and newsletters), and electronic media (such as, television, radio, wire services, and web sites). Non-traditional sources may include billboards, t-shirts, posters, pay-roll stuffers, grocery bags, hand bills, etc. The most common of these media used to communicate survey results have been local newspaper news articles and editorials, local television and radio news casts, talk-shows, and interviews.

HOW TO GET STARTED!

You can set a date for the announcement of your school data. Choose a *slow news day* when nothing major is scheduled in the community. Mid-morning on Tuesday may be a good time, giving the reporters time to prepare their stories for an afternoon or early morning edition of the newspaper, or an early evening broadcast or telecast.

Develop a local news media profile, showing the names, addresses, phone numbers and contact persons for each newspaper, station and type of program. Keep up with times you contact each one, news releases or other materials you provide them, and what the next steps will be toward giving your topic coverage. Good sources for help in developing your news media profile are the yellow pages, locally-published media directories, or media profiles already available from communications/public relations professionals.

HOW TO WRITE A NEWS RELEASE

Your next step is to prepare a news release on the survey results. A sample news release is included in Appendix B. The following guidelines may assist you in preparing a news release:

1. Use standard-size 8 1/2 by 11 white paper, and type the release double spaced on one side only. The first page should contain the name and address of your school/organization (letterhead is fine). If special News Release paper is available, use it.
2. Name a contact person and his/her office and home phone numbers in the upper right hand corner of the first page. Ideally, this is the person who prepared the news release. Make sure the contact person has agreed to handle possible follow-up calls from the media.
3. Write FOR IMMEDIATE RELEASE in the upper left hand corner of the first page unless you have planned a certain day and time to announce the survey results, perhaps at a news conference or some other event. If that is the case, write FOR RELEASE (DATE and TIME). The media are accustomed to respecting your release time.
4. Give the news release a brief two or three line title, centered in all caps and bold for emphasis.
5. Be brief with what you write – one to three pages, double spaced. Most releases do not exceed two pages, but questionnaire data are hard to summarize and may take an additional page.
6. Write in the active voice and use short sentences and paragraphs.
7. Write MORE at the bottom of each page except the last one to let the reporter know there is more than one page to the release. Type -30- or ## in the center of the last page below the last paragraph.
8. Proofread carefully. Reporters are wary of releases that contain typographical errors, misspellings, or crossouts.

TIPS FOR WRITING YOUR NEWS RELEASE

1. Traditionally, news releases are written in the "inverted pyramid style." This means that the more important information comes first in case the reporter doesn't have space or time for the entire release and wants to "cut" it from the bottom.

2. Include at least two of the five W's (Who, What, Where, When, and Why) in the lead (first) paragraph. Your lead paragraph should grab the reporter's attention and make him/her want to read and report the news the release contains.
3. The second paragraph should answer the other W's.
4. Identify your spokesperson no later than the third paragraph.
5. Use quotes to make an emotional point or state an opinion. A good news release contains two to four quotes. Remember to obtain the quoted person's permission, and let him/her know when the news will be released so that he/she can be prepared to respond to any media calls for additional details.
6. The last paragraph should include background information on your school or organization – a "commercial" for the work you are doing. Include purpose, size, non-profit status or other pertinent information.
7. Double-check names, dates, places, numbers, and quotes for accuracy. Your credibility as a source of information is jeopardized when details of a news release are inaccurate.

Send an original copy of the news release to all appropriate names on your media list. Follow-up by phone is important to make sure the release arrived, answer any questions, provide more information, and offer spokespeople to be interviewed by phone or in person.

End your conversation by thanking the reporter or editor for his/her time and interest. And, when the story appears in print or on the air, phone or write the reporter/editor a brief but sincere "thank you." Remember, a well written news release containing valid and interesting data should receive wide distribution in the news media.

SPECIALIZED PUBLICATIONS AND NEWS CONFERENCES

In addition to the news media in your community, there will be a number of specialized publications that will be interested in your survey data. They

include school and school system newsletters and other publications, community magazines, club and organization newsletters, and church bulletins. Don't forget to send them an original copy of your news release.

A News Conference gives your group the opportunity to release important information to all the news media at once. Here are some tips for setting up a news conference:

- Schedule the news conference for a *slow news time*. You will be more likely to get a good turnout of reporters.
- Select a location appropriate for your announcement. In the case of a student drug use report that has implications for the entire community, you may want to consider the school, City Hall, or some youth oriented site in the community.
- Develop a good presentation. Include your key spokespeople, but also include parents and young people who represent the populations affected by the survey announcement.
- Develop a Media Alert to let reporters/editors know about the conference, and notify them 5 to 7 days in advance.
- Phone the media to remind them to schedule the news conference on their calendars.
- Develop an information packet to distribute to the media at the conference and to others who are unable to attend. Include your news release, fact sheets and brochures, and recent news clippings on the drug problem. You may want to provide biographies of your leaders and/or spokespeople.

EDITORIALS, LETTERS TO THE EDITOR, AND PUBLIC SERVICE ANNOUNCEMENTS

Editorials in newspapers and on radio and television express definite opinions on important issues that face the community. Editorials may be produced

by the media from materials you provide to them, or you may be asked to read your own editorial on radio or television as a "community comment." Opinion pages in newspapers and letters to the editor are other good ways to express your viewpoint on the problem of early adolescent alcohol and drug use in the community.

Radio and television make time available to local nonprofit groups for free announcements that benefit the community by providing needed information or linking individuals with services. Your student drug use report will be of interest to Public Service Directors of radio and television who may decide to air public service announcements (PSA's) to heighten the community awareness about prevalence and patterns of elementary school students' use of gateway drugs.

5.4.3 Presentations to School/Community Groups

An excellent means of reaching the community leadership is through presentations to school, parent, civic, business, and religious groups. These groups are concerned with community issues, particularly those related to the safety and welfare of youth. Often these organizations will invite prevention leaders to speak at their meetings. While media coverage will help to make known your prevention efforts, you will want to contact appropriate groups and organizations in your community to offer a program on student drug and alcohol abuse and strategies for combating it.

The interests, needs, and abilities of your audience should be kept in mind when preparing your presentation. For example, parents are concerned about drug use that may affect their children and their children's friends; business leaders are mindful of the need for a drug-free work force that includes workers' children and future workers.

Select a poised, articulate spokesperson who is thoroughly familiar with the student data. The graphs, tables, and narrative discussion of the data in this report should assist the speaker in presenting pertinent and meaningful information. Such presentations are easy to prepare and deliver, and

will make the presentation more interesting and informative to the audience. Necessary arrangements should be made with the organization's program chairman. Background information (perhaps a news release) could help the group to promote your presentation among its membership.

GUIDELINES FOR PRESENTATION OF STUDENT DRUG USE RESULTS

Length of Presentation

An important consideration in preparing a presentation is the length of time you are expected to address the group. Usually civic and business groups have a limited time available for a program – as little as 5 or 10 minutes in some cases. This means only a fraction of the information may be presented. Once again, concentrate on the type of audience and what you think they will be interested in and need to hear. It is more important to leave the audience wanting to know more than having them feeling uncomfortable by exceeding your allotted time. If possible, leave a few minutes for questions at the end of your presentation, and always promise to provide additional information through print materials or a return appearance.

Matching Survey Results to the Audience

In structuring your presentation, keep in mind your audience. If the presentation is to teachers and administrators, you may want to emphasize students' perceptions of the harmful effects of gateway drug use. Teachers and administrators will be interested in how often students say they talk to teachers about the harmful effects of drug use. Elementary students' perceptions of where and how they get gateway drugs are important to determine if such perceptions are realistic.

If the presentation is targeted to parents, frequency of use and availability of drugs are important data to share. Help parents to realize their responsibility for their child's actions regarding gateway drug use and the importance of becoming involved in community drug prevention programs. Civic and business groups, law enforcement officers, and court officials will be particularly interested in the current use and availability of gateway drugs to minors.

Organizing Survey Results

Graphs are very effective in communicating the meaning of data. They enable audiences to "see" the relationship you are explaining. Bar graphs located in this report can be utilized in describing gateway drug use. However, you can lose the audience's attention with too many graphs. Tables are also effective if they are kept simple.

Short sentences or phrases called *bullets* are an excellent way to communicate your findings. Bullets can stand alone, be included in a list of findings, or accompany a graph or table. The following are examples of *bullets* that can be used in presentations:

- ONE IN FIVE STUDENTS IN GRADES SEVEN AND EIGHT REPORTED USING BEER AND/OR WINE COOLERS WITHIN THE PAST YEAR
- ONLY ONE PERCENT OF (–YOUR SCHOOL NAME–) STUDENTS IN GRADES FOUR THROUGH SIX REPORTED USING MARIJUANA WITHIN THE PAST YEAR
- OVER ONE-THIRD OF STUDENTS IN UPPER ELEMENTARY SCHOOL REPORTED THAT BEER AND WINE COOLERS WERE EASY TO GET BY THEIR PEERS AND NEARLY ONE-FOURTH INDICATED LIQUOR WAS EASY TO GET
- ONE-FOURTH OF SEVENTH GRADE STUDENTS IN –YOUR SCHOOL NAME– REPORTED MARIJUANA AS EASILY ACCESSIBLE TO THEIR PEERS

A combination of graphics, tables and bullets are suggested in a presentation to add variety and keep audience attention. It should be kept in mind that a good presentation is:

- straightforward
- easy to understand

- relevant to the interests of the audience
- supportive of local drug efforts.

Using Visual Aids

When presenting statistical data, it is advisable to use some visual aids. These may range from a simple handout to more elaborate aids, depending upon the resources and time available to the school or other organizations concerned with drug abuse prevention. A single visual aid may be used, or combination aids may be chosen when preparing for a presentation. Often the time parameters may determine what and how many visual aids can be used. However, you should be cautious not to use too many visual aids or rely too heavily on the aids so that the information presented and flow of the presentation is diminished.

The following are types of presentation aids that you may want to consider:

1. **PowerPoint Presentations** – have become popular, but require special equipment, (i.e. laptop computer with projector). One of the advantages of a PowerPoint Presentation is that handouts can be generated directly from the presentation without the need to prepare them separately;
2. **Handouts** – are useful in addition to other types of aids and are easy to transport, and provide a *take-home* product, but can be expensive to produce, may be difficult to utilize with large audiences, and may distract attention from your presentation;
3. **Overhead transparencies** – are easy and inexpensive to make, can be viewed by large audiences, but can be cumbersome to use and require an on-site projector and screen;
4. **Flip charts and poster boards** – are easy to use, fairly easy to transport, and require no special equipment, but are sometimes expensive

and time consuming to make and can only be viewed by a relatively small audience;

5. **Slides** – are easy to use and can be viewed by large audiences, but are difficult and expensive to make, and require an on-site projector and screen;
6. **Videos** – provide a *canned*, consistent approach to a topic, utilize *expertise* of presenter(s) on tape, and are easy to use, but are very time consuming and expensive to make, require technical expertise for quality product, require on-site play-back equipment, and may be difficult to use with large audiences.

YOUR NOTES:

5.4.4 Sample Press Release

FOR RELEASE *(Time)*
(Date)

(Contact Name)
(Phone)

MOST DRUG AND ALCOHOL USE OCCURS OUTSIDE SCHOOL ENVIRONMENT

(City), (State), (Date) – Students in grades ____ in *(Name of School System)* use drugs and alcohol at nights and weekends, but few of them report ever taking drugs or alcohol during school hours.

"The results of our survey indicates that we have a community drug problem in *(Locality)*, not just a school drug problem," said *(Name & Title of School Official)*.

More than (approximate # students surveyed) students were surveyed in grades ____ through ____ to determine the extent and nature of drug use by adolescents in this community. Nationally, Pride Surveys, the research group that developed the Questionnaire used in this survey, found that students report drug use primarily at two specific times: "Week Nights" and "Weekends". Very little use is reported during school.

*** MORE ***

** Page 2 **

Although few drugs are consumed during school hours, the survey detected both drug and alcohol use outside of school, according to *(Last Name of School Official)*.

Alcohol remained the "drug of choice" of the young people surveyed in *(Locality)*.

____ percent of the senior high students (grades ____) drank beer in the past year;

* ____ percent reported liquor use;

* ____ percent drank wine coolers.

In junior high (grades ____), ____ percent drank beer; ____ percent drank liquor; and ____ percent drank wine coolers.

Cocaine and Marijuana

Local students reported less use of cocaine than marijuana, but drug prevention specialists like Dr. Thomas J. Gleaton, Jr., president of Pride Surveys cautions that any use of cocaine is disturbing, particularly at young ages.

Marijuana use during the past year was reported by ____ percent of the students in senior high, and ____ percent in junior high. Cocaine was reported by ____ percent of the senior high students, and

*** MORE ***

** Page 3 **

_____ percent of the junior high students.

When

The most popular times for marijuana use were: weekends, _____ percent;
week nights, _____ percent; and after school, _____ percent.

The Pride Questionnaire

The Pride Questionnaire has undergone continuous development since 1982 and provides reliable and accurate information for monitoring adolescent drug use. Pride Surveys is America's largest survey of adolescent drug use. It is based in Marietta, Ga (1-800-279-6361). For additional information on national trends, visit the Pride Surveys website at www.pridesurveys.com.

##

Chapter 6

Drug-Free Communities Support Program Core Measures

6.1 Drug-Free Communities Support Program

The Drug-Free Communities Support Program, administered by the Center for Substance Abuse Prevention, requests specific data which is typically referred to as the Core Measures of which there are currently four (30 Day Use, Perception of Risk, Parental Disapproval and Friends Disapproval). The drug categories measured are tobacco, alcohol, marijuana and prescription drugs. The first set of four tables found on the following page examines these measures broken down by grade level. The second set of four tables examines these measures broken down by gender. The meaning of the *pct* column will vary with each table and is described below. The *n* column represents the number of students who responded to the question (i.e. sample size).

30-Day Use The question *During the past 30 days?* is used to measure this statistic by reporting the percentage of students who responded *Yes* to the question.

Perception of Risk The question *How much do you think people risk harming themselves physically or in other ways if they...* is used to measure this statistic by reporting the percentage of students who report that using the drug is *Moderate Risk* or *Great Risk* to their health.

Perception of Parental Disapproval The questions *How wrong do your parents feel it would be for you to use ...?* is used to measure this statistic by reporting the percentage of students who report that their parents would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol, marijuana and prescription drugs.

Perception of Friends Disapproval The questions *How wrong do your friends feel it would be for you to use ...?* is used to measure this statistic by reporting the percentage of students who report that their friends would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol, marijuana and prescription drugs.

Table 6.1: Core Measure for 30 Day Use by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	1.8	607	2.7	601	1.2	604	1.8	599
Grade 7	6.5	169	8.3	169	5.4	168	3.6	168
Grade 8	6.7	570	10.6	567	7.4	570	3.7	568
Grade 9	0.0	0	0.0	0	0.0	0	0.0	0
Grade 10	13.2	506	23.5	503	14.9	505	6.1	507
Grade 11	0.0	0	0.0	0	0.0	0	0.0	0
Grade 12	17.6	410	34.8	408	25.5	408	5.4	405
Combined	8.8	2,262	15.6	2,248	10.5	2,255	4.0	2,247

Table 6.2: Core Measure of Perception of Risk by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	75.0	596	66.5	591	71.8	589	78.6	593
Grade 7	72.7	165	53.0	164	53.3	165	73.6	163
Grade 8	76.9	566	60.6	563	53.8	561	80.4	566
Grade 9	0.0	0	0.0	0	0.0	0	0.0	0
Grade 10	81.9	498	61.1	496	46.4	496	83.9	496
Grade 11	0.0	0	0.0	0	0.0	0	0.0	0
Grade 12	78.8	406	59.3	403	34.2	401	84.2	404
Combined	77.5	2,231	61.5	2,217	53.3	2,212	80.9	2,222

Table 6.3: Core Measure of Parental Disapproval by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	94.8	598	93.5	602	95.0	599	95.3	595
Grade 7	92.0	162	89.6	163	91.5	164	93.3	164
Grade 8	95.7	557	94.5	559	93.0	559	96.6	560
Grade 9	0.0	0	0.0	0	0.0	0	0.0	0
Grade 10	88.3	496	85.9	495	82.8	495	93.8	496
Grade 11	0.0	0	0.0	0	0.0	0	0.0	0
Grade 12	76.7	403	73.4	403	76.2	403	93.0	401
Combined	90.1	2,216	88.1	2,222	88.1	2,220	94.7	2,216

Table 6.4: Core Measure of Friends Disapproval by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	91.5	579	89.7	580	92.9	580	93.4	576
Grade 7	75.2	157	75.6	156	76.1	155	79.9	154
Grade 8	71.9	551	71.5	554	70.7	553	87.1	549
Grade 9	0.0	0	0.0	0	0.0	0	0.0	0
Grade 10	58.9	489	55.0	487	49.7	491	78.0	490
Grade 11	0.0	0	0.0	0	0.0	0	0.0	0
Grade 12	42.7	396	37.3	397	34.4	398	72.7	396
Combined	69.1	2,172	66.7	2,174	65.6	2,177	83.6	2,165

Table 6.5: Core Measure for 30 Day Use by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	7.2	971	14.7	965	9.7	968	4.0	967
Female	9.0	1,063	15.5	1,059	10.4	1,060	3.4	1,057
Combined	8.2	2,034	15.1	2,024	10.1	2,028	3.7	2,024

Table 6.6: Core Measure of Perception of Risk by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	77.1	965	58.6	957	54.2	955	80.3	957
Female	79.1	1,045	64.9	1,039	53.5	1,037	82.7	1,045
Combined	78.2	2,010	61.9	1,996	53.9	1,992	81.5	2,002

Table 6.7: Core Measure of Parental Disapproval by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	89.5	944	87.2	947	88.9	951	94.5	949
Female	91.5	1,051	89.6	1,050	88.3	1,045	95.4	1,044
Combined	90.6	1,995	88.5	1,997	88.6	1,996	95.0	1,993

Table 6.8: Core Measure of Friends Disapproval by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	67.2	935	63.6	936	67.8	933	83.2	928
Female	72.6	1,016	71.5	1,018	65.5	1,022	84.9	1,016
Combined	70.0	1,951	67.7	1,954	66.6	1,955	84.1	1,944